

Efficient Sorting and Searching in Rendering Algorithms

Tutorial outline and bibliographies

Eurographics 2014 Tutorial

Organizers and Presenters

Vlastimil Havran and Jiří Bittner

Czech Technical University in Prague

Version 1.1

April 7, 2014

Abstract

In the tutorial we show the connection between rendering algorithms and sorting and searching as classical problems studied in computer science. We provide both theoretical and empirical evidence that for many rendering techniques most time is spent by sorting and searching. In particular we discuss problems and solutions for visibility computation, density estimation, and importance sampling. For each problem we mention its specific issues such as dimensionality of the search domain or online versus offline searching. We will present the underlying data structures and their enhancements in the context of specific rendering algorithms such as ray tracing, photon mapping, and hidden surface removal.

Organizers bibliographies

Vlastimil Havran is an associate professor at the Czech Technical University in Prague. He defended his Ph.D. dissertation on ray shooting algorithms in 2001 at the Czech Technical University in Prague. Later he joined the computer graphics group at Max-Planck-Institute for Informatics in Saarbruecken. He became a research associate at the same institute in 2003, started as assistant professor at the Czech Technical University 2006 and become associate professor in 2011. He has contributed to the topic of sorting and searching by his dissertation on ray shooting algorithms which started the area of interactive ray tracing. In addition to sorting and searching he worked on various other topics in rendering such as global illumination algorithms and surface reflectance representations.

Jiří Bittner holds a Ph.D. in Computer Science from the Czech Technical University in Prague. His main research interests include visibility preprocessing, occlusion culling, real-time rendering, and computational geometry. He has also been active in development of two commercial products dealing with real-time rendering of large scenes. He was affiliated with the Vienna University of Technology between 2003 and 2006, since then he returned to the Czech Technical University in Prague as senior researcher and later become assistant professor.

Organizers contact information

Vlastimil Havran

Czech Technical University in Prague
Karlovo náměstí 13
121 35 Praha 2
Czech Republic
Phone:+420 2435 7263
Fax:+420 2 2435 7556
e-mail: havran@fel.cvut.cz
Homepage: <http://dcgi.felk.cvut.cz/~havran>

Jiří Bittner

Czech Technical University in Prague
Karlovo náměstí 13
121 35 Praha 2
Czech Republic
Phone:+420 2435 7653
Fax:+420 2 2435 7556
e-mail: bittner@fel.cvut.cz
Homepage: <http://dcgi.felk.cvut.cz/~bittner>

Tutorial Content

1 Motivation for the Tutorial	6
2 Tutorial Overview – Half Day (150 minutes)	6
2.1 Introduction and Outline (5 minutes)	6
2.2 Sorting and Searching Techniques (25 minutes)	6
2.2.1 Problem Dimensionality	6
2.2.2 Hashing	6
2.2.3 Bucketing	7
2.3 Hierarchical Data Structures (25 minutes)	7
2.4 Static versus Dynamic	7
2.4.1 Online versus Offline	7
2.5 Ray Tracing (20 minutes)	7
2.6 Rasterization and Visibility Culling (20 minutes)	7
2.7 Photon Maps and Ray Maps (15 minutes)	8
2.8 Irradiance Caching (5 minutes)	8
2.9 BRDF and BTF (10 minutes)	8
2.10 CPU and GPU (15 minutes)	8
3 Target Audience	8

Slides

Slides of this structure are given in a separate file with landscape orientation.

- Introduction
- Sorting and Searching Techniques
- Hierarchical data structures
- Ray Tracing
- Rasterization and Culling
- Photon Maps and Ray Maps
- Irradiance Caching
- GPU Sorting and Searching
- Conclusion

References

This material contains bibliographic references structured as shown below.

References	9
Sorting and Searching Techniques	10
Hierarchical Data Structures	11
Ray Shooting	13
Hidden Surface Removal	34
Visibility Culling	38
Photon Mapping, Irradiance Caching, and Ray Maps	47
Other Publications on Rendering with Sorting and/or Searching	51

Tutorial Web Page

The updated version of this tutorial presented at Eurographics 2014 can be found under the following URL:

<http://dcgi.felk.cvut.cz/~havran/eg2014tut/>

Acknowledgements

We would like to thank Robert Herzog, Michael Wimmer, Peter Wonka, Tommer Leyvand, David Luebke, Hansong Zhang and other colleagues for providing us various materials used in the tutorial. In particular we would like to thank Marek Vinkler for his comments on tutorial part dealing with data structures on GPU. This work has been partially supported by the Czech Science Foundation under the research program number P202/12/2413 (OPALIS).

1 Motivation for the Tutorial

The half-day tutorial covers the use of efficient sorting and searching techniques in the context of rendering algorithms. The topic itself is important for performance and usability of the known algorithms as well as the design of future ones. We show that although the problems and their solutions in rendering substantially differ, their common denominator remains sorting and searching. Additionally it is often the case that most of the computational time for rendering is spent by searching even if spatial sorting has been used in preprocessing.

An efficient sorting and representation of the resulting ordered information is a necessary base to carry out efficiently the repetitive searching during rendering. We would like to give an introduction to the basic techniques and issues related to multidimensional sorting and related data structures required for efficient searching. This we want to follow by showing the concepts of searching in particular rendering algorithms.

In the tutorial we will address both deterministic and stochastic rendering algorithms for visibility computation (ray shooting and z-buffer), irradiance caching, photon mapping, and BRDF importance sampling. These algorithms employ methods like spatial indexing, nearest neighbor searching, intersection searching, range searching, or point location.

In Section 2 we give the outline of the tutorial, in Section 3 we target the audience of the tutorial. In section 3 we give bibliographic references related to this tutorial.

2 Tutorial Overview – Half Day (150 minutes)

The tutorial is divided into two logical parts. The first part will cover the basic description of the sorting and searching and the topic of ray shooting (90 minutes). The second part will cover other applications of searching in rendering algorithms completed by *Questions & Answers* section. A more detailed outline of the tutorial is presented below.

2.1 Introduction and Outline (5 minutes)

The scope of the tutorial and the connection to sorting and searching. Recalling the rendering equation, density estimation.

2.2 Sorting and Searching Techniques (25 minutes)

Generalization of sorting and searching operations, giving overview of the problem. Recalling $O(N \log N)$ bounds and traditional sorting techniques and related algorithmic issues for sorting based on comparisons, $O(N)$ lower bound for sorting with limited input precision (radix sort). Notion of performance of searching algorithms: query time, preprocessing time, the size of the data structures, the practicality of algorithmic solutions, hidden constants behind the big O notation.

2.2.1 Problem Dimensionality

Most problems of image synthesis are dealing with three-dimensional space. There are several problems which can be formulated in four-dimensional space (spatio-temporal domain). We will also discuss other problems which via surface parametrization can be reduced to two-dimensional space.

2.2.2 Hashing

Direct hashing techniques, perfect hashing, use in caching algorithms, external memory data structures, etc.

2.2.3 Bucketing

Description of sorting based on the limited precision of input data called bucketing (radix sort, distribution sort etc.). The connection to grid-like data structures with $O(1)$ access time used in rendering applications.

2.3 Hierarchical Data Structures (25 minutes)

Description of hierarchical concept including object hierarchies (possibly overlapping), spatial subdivisions, and hybrid hierarchical data structures. Branching factor of the hierarchy, memory layout of the data structures, cost models used for construction. Augmented data structures for hierarchies such as neighbor links or proximity clouds.

2.4 Static versus Dynamic

Description of the following settings:

- *static data structures* built once and used for queries without any change of input data.
- *dynamic data structures* built with certain input data, however, allowing efficient update of input data without necessity of rebuilding the data from the scratch.

2.4.1 Online versus Offline

Description of the following settings:

- *Online* – queries are processed one by one (sequential processing). This is a typical and the simplest way how the search is applied in rendering algorithms.
- *Offline* – queries are processed at once or at some batches. It is also often referred to as aggregate search or batched search. The speedup from these techniques will be quantified.

2.5 Ray Tracing (20 minutes)

Ray tracing determines a first object hit by the given ray. A naive ray tracing algorithm would test every object for intersection with a given ray and select the nearest one from the found intersections. The query time is then $O(n)$ where n is the number of objects in the scene. Much research has been done in order to reduce this time complexity. The key idea of most techniques is to narrow the search domain for a given ray by organizing (sorting) scene objects in a spatial data structure (often called spatial index). Each entry in the spatial index is associated with a list of objects. Then for a given ray we use the spatial index to determine only those objects which constitute a potential intersection. This is achieved by traversing through entries of the spatial index.

As an alternative to spatial indices we can use directly the ray domain to sort the objects. Similarly as in the spatial index each entry of the ray space index contains a list of intersection candidates. The traversal of the ray space index can then be implemented using a simple point location.

We will discuss several common spatial indices (kD-tree, octree, BVH) and present their extensions which aim to further reduce the expected running time of the algorithm. We also discuss a ray space index based on kD-trees and their connection to quick sort, the other paradigms such as clustering based approaches, optimization of some data structures after building etc.

2.6 Rasterization and Visibility Culling (20 minutes)

Z-buffer provides a powerful tool for solving the casting problem for a specific set of coherent rays. In particular it handles bounded set of rays with common center of projection. Z-buffer uses bucket like

sorting of the objects. Every bucket corresponds to objects intersecting a given pixel of the screen. By incremental updates it can determine the nearest object for every bucket.

Two additional culling methods are usually combined with z-buffered rendering to increase its performance. The *view frustum culling* and *occlusion culling*. View frustum culling discards all objects which cannot contribute to the z-buffer since they lie outside of the current view frustum. Occlusion culling eliminates all objects which cannot contribute since they are occluded by some other objects.

Both methods make heavy use of sorting searching. View frustum culling uses a spatial index to organize the scene. Then it uses a constraint traversal of this index to determine objects intersecting the given view frustum. Occlusion culling methods commonly use sorting of occluder projections in order to determine whether other scene objects are also occluded. We show a close relation between ray casting and z-buffer techniques with occlusion culling.

2.7 Photon Maps and Ray Maps (15 minutes)

Photon map algorithm uses nearest neighbor search in order to estimate photon density. In particular for a given query point it uses k-nearest neighbor search on set of points (photons). The original paper provides an efficient method to organize photons in a kD-tree. We will also show an alternative approach which also sorts the query points.

Ray maps provide an extension to the photon map algorithm as they organize the whole photon paths instead of the hit points. We will discuss possibilities of maintaining a set of rays using both primal space and ray space. Further we show that an optimized primal space implementation of the algorithm can achieve performance not far from that of the photon map query.

2.8 Irradiance Caching (5 minutes)

Irradiance cache is used to interpolate illuminance from already known samples. In order to do that it needs to locate all spheres containing a given query point. The original method uses octree to sort the spheres. We will present also more advanced techniques based on half-space reporting via transform to the four dimensional space.

2.9 BRDF and BTF (10 minutes)

Importance sampling using cumulative distribution function and binary search or binary-interpolation search. Other techniques of importance sampling based on the searching. The BTF compression techniques used based on sorting and searching.

2.10 CPU and GPU (15 minutes)

Differences when implementing data structures on CPUs and GPUs as consequence of the different computer architecture, paralelization, stream based versus cache-based computer architecture architecture, data alignment in memory, critical sections, atomic counters etc.

3 Target Audience

The tutorial assumes audience familiar with the area of rendering based on z-buffer and ray tracing. In particular we assume basic knowledge of ray tracing, global illumination in particular photon maps, irradiance caching, BRDF. An elementary knowledge of sorting and searching algorithms is assumed. Less known basic concept such as density estimation and importance sampling will be detailed during the tutorial.

References

On further pages we present survey of bibliographics about rendering papers which use and discuss (either directly or indirectly) sorting and/or searching algorithms. The list of references consists of several parts, which correspond to the topics discussed in tutorial. The list of references is definitely not complete and it will become outdated in future.

Sorting and Searching

- [JaJa00] J. JaJa. A Perspective on Quicksort. *Computing in Science and Engg.*, Vol. 2, No. 1, pp. 43–49, 2000.
- [Knut78] D. Knuth. *The Art of Computer Programming, Volume 3: Sorting and Searching*. Addison-Wesley, Reading, MA., 1978.
- [Mehl84a] K. Mehlhorn. *Data Structures and Algorithms 1: Sorting and Searching*. *EATCS Monographs on Theoretical Computer Science*, Springer-Verlag, 1984.
- [Mehl84b] K. Mehlhorn. *Data Structures and Algorithms 3: Multi-dimensional Searching and Computational Geometry*. *EATCS Monographs on Theoretical Computer Science*, Springer-Verlag, 1984.
- [Same06] H. Samet. *Foundations of multidimensional and metric data structures*. Elsevier [u.a.], Amsterdam [u.a.], 2006.

Hierarchical Data Structures

- [Agar04] P. Agarwal. Range searching. In *CRC Handbook of Discrete and Computational Geometry* (J. Goodman and J. O'Rourke, eds.), CRC Press, New York, 2004.
- [Agar99] P. Agarwal and J. Erickson. Geometric range searching and its relatives. 1999.
- [Bare96] G. Barequet, B. Chazelle, L. J. Guibas, J. S. B. Mitchell, and A. Tal. BOXTREE: A Hierarchical Representation for Surfaces in 3D. *Computer Graphics Forum*, Vol. 15, No. 3, pp. 387–396, 1996.
- [Chan01] A. Y.-H. Chang. A Survey of Geometrical Data Structures for Ray Tracing. Tech. Rep. TR-CIS-2001-06, 2001.
- [Chan04] A. Y.-H. Chang. *Theoretical and Experimental Aspects of Ray Shooting*. PhD thesis, Politechnic University, USA, 2004.
- [Gaed98] V. Gaede and O. Günther. Multidimensional access methods. *ACM Computing Surveys*, Vol. 30, No. 2, pp. 170–231, 1998.
- [Guib98] L. Guibas. Kinetic data structures: A state of the art report. 1998.
- [Gutt84] A. Guttman. R-Trees: A Dynamic Index Structure for Spatial Searching. In B. Yorlmark, Ed., *SIGMOD'84, Proceedings of Annual Meeting, Boston, Massachusetts, June 18-21, 1984*, pp. 47–57, ACM Press, 1984.
- [Hjal03] G. R. Hjaltason and H. Samet. Index-driven similarity search in metric spaces. *ACM Trans. Database Syst.*, Vol. 28, No. 4, pp. 517–580, 2003.
- [Jark97] M. Jarke, M. J. Carey, K. R. Dittrich, F. H. Lochovsky, P. Loucopoulos, and M. A. Jeusfeld, Eds. *VLDB'97, Proceedings of 23rd International Conference on Very Large Data Bases, August 25-29, 1997, Athens, Greece*, Morgan Kaufmann, 1997.
- [Mano05] Y. Manolopoulos, A. Nanopoulos, A. N. Papadopoulos, and Y. Theodoridis. R-Trees Have Grown Everywhere. 2005.
- [Mano06] Y. Manolopoulos, A. Nanopoulos, A. Papadopoulos, and Y. Theodoridis. *R-Trees: Theory and Applications. Series: Advanced Information and Knowledge Processing*, 2006.
- [Mato94] J. Matousek. Geometric Range Searching. *ACM Computing Surveys*, Vol. 26, No. 4, pp. 421–461, 1994.
- [Ooi93] B. C. Ooi, R. Sacks-Davis, and J. Han. Indexing in Spatial Databases. 1993. Unpublished Manuscript, available at: <http://www.iscs.nus.edu.sg/~ooibc/>.
- [Papa05] A. N. Papadopoulos and Y. Manolopoulos. *Nearest Neighbor Search: A Database Perspective. Series: Series in Computer Science*, Springer Verlag, 2005.
- [Proc97] O. Procopiuc. Data Structures for Spatial Database Systems. 1997. Unpublished Manuscript, available at <http://www.cs.duke.edu/~tavi/spatial.ps.gz>.
- [Same06] H. Samet. *Foundations of multidimensional and metric data structures*. Elsevier [u.a.], Amsterdam [u.a.], 2006.
- [Same89] H. Samet. *Design and analysis of Spatial Data Structures: Quadrees, Octrees, and other Hierarchical Methods*. Addison-Wesley, Redding, Mass., 1989.
- [Same90] H. Samet. *Applications of Spatial Data Structures*. Addison-Wesley, Reading, Mass., 1990. chapter on ray tracing and efficiency, also discusses radiosity.

- [Sell97] T. K. Sellis, N. Roussopoulos, and C. Faloutsos. Multidimensional Access Methods: Trees Have Grown Everywhere. In M. Jarke, M. J. Carey, K. R. Dittrich, F. H. Lochovsky, P. Loucopoulos, and M. A. Jeusfeld, Eds., *VLDB*, pp. 13–14, Morgan Kaufmann, 1997.
- [Yorm84] B. Yormark, Ed. *SIGMOD'84, Proceedings of Annual Meeting, Boston, Massachusetts, June 18-21, 1984*, ACM Press, 1984.
- [Zach03] G. Zachmann and E. Langetepe. Geometric Data Structures for Computer Graphics. ACM SIGGRAPH 2003 Course Notes, 27–31 July 2003.

Ray Tracing

- [Aber06] O. Abert, M. Geimer, and S. Mller. Direct and Fast Ray Tracing of NURBS Surfaces. In *Proceedings of the 2006 IEEE Symposium on Interactive Ray Tracing, Salt Lake City, UT, USA, September 18-20, 2006 ; proceedings / ed.: I. Wald, S. G. Parker. - IEEE Computer Society, 2006. - 1-4244-0693-5 - S. 161 - 168*, 2006. Record converted from VDB: 12.11.2012.
- [Adam05] B. Adams, R. Keiser, M. Pauly, L. Guibas, M. Gross, and P. Dutre. Efficient Raytracing of Deformable Point-Sampled Surfaces. In *Proceedings of the 2005 Eurographics Conference*, pp. 677–684, 2005.
- [Ade195] S. J. Adelson and L. F. Hodges. Generating Exact Ray-Traced Animation Frames by Reprojection. *J-IEEE-CGA*, Vol. 15, No. 3, pp. 43–52, May 1995.
- [Agat91] M. Agate, R. L. Grimsdale, and P. F. Lister. The HERO Algorithm for Ray-Tracing Octrees. In R. L. Grimsdale and W. Strasser, Eds., *Advances in Computer Graphics Hardware IV*, pp. 61–73, Springer-Verlag, London, UK, 1991.
- [Aila09] T. Aila and S. Laine. Understanding the Efficiency of Ray Traversal on GPUs. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 145–149, ACM, New York, NY, USA, 2009.
- [Aila10] T. Aila and T. Karras. Architecture Considerations for Tracing Incoherent Rays. In *Proceedings of the Conference on High Performance Graphics*, pp. 113–122, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2010.
- [Aila13] T. Aila, T. Karras, and S. Laine. On Quality Metrics of Bounding Volume Hierarchies. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 101–107, ACM, New York, NY, USA, 2013.
- [Aman84] J. Amanatides. Ray Tracing with Cones. In *Computer Graphics (SIGGRAPH '84 Proceedings)*, pp. 129–135, July 1984.
- [Aman87] J. Amanatides and A. Woo. A fast voxel traversal algorithm for ray tracing. In G. Marechal, Ed., *Eurographics '87*, pp. 3–10, North-Holland, Aug. 1987.
- [Aman90] J. Amanatides and D. P. Mitchell. Some Regularization Problems in Ray Tracing. In *Proceedings of Graphics Interface '90*, pp. 221–228, May 1990.
- [Ar02] S. Ar, G. Montag, and A. Tal. Deferred, Self-Organizing BSP Trees. *Computer Graphics Journal (Eurographics '02)*, Vol. 21, No. 3, pp. C269–C278, sept 2002.
- [Aron02] B. Aronov, H. Brönnimann, A. Chang, and Y.-J. Chiang. Cost prediction for ray tracing. In *Proceedings of the 18th Annual ACM Symposium on Computational Geometry (SoCG)*, pp. 293–302, ACM Press, Barcelona, Spain, June 2002.
- [Aron05] B. Aronov, H. Brönnimann, A. Chang, and Y.-J. Chiang. Cost-driven octree construction schemes: an experimental study. *Computational Geometry: Theory & Applications*, Vol. 31, No. 1-2, pp. 127–148, 2005. Special Issue on the *19th ACM Annual Symposium on Computational Geometry - SoCG 2003*.
- [Arvo87] J. Arvo and D. Kirk. Fast Ray Tracing by Ray Classification. In M. C. Stone, Ed., (*SIGGRAPH '87 Proceedings*), pp. 55–64, July 1987.
- [Arvo88] J. Arvo. Linear-time Voxel Walking for Octrees. *Ray Tracing News (available at <http://www.acm.org/tog/resources/RTNews/html/rtnews2d.html>)*, Vol. 1, No. 5, p. , 1988.

- [Arvo89] J. Arvo and D. Kirk. *A survey of ray tracing acceleration techniques*, pp. 201–262. Academic Press, 1989.
- [Arvo90] J. Arvo. Ray Tracing with Meta-Hierarchies. In *SIGGRAPH '90 Advanced Topics in Ray Tracing course notes*, ACM Press, Aug. 1990.
- [Badt88] J. S. Badt. Two Algorithms for Taking Advantage of Temporal Coherence in Ray Tracing. *The Visual Computer*, Vol. 4, No. 3, pp. 123–132, Sep. 1988.
- [Baer13] J. Baert, A. Lagae, and P. Dutré. Out-of-core Construction of Sparse Voxel Octrees. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 27–32, ACM, New York, NY, USA, 2013.
- [Bare96] G. Barequet, B. Chazelle, L. J. Guibas, J. S. B. Mitchell, and A. Tal. BOXTREE: A Hierarchical Representation for Surfaces in 3D. *Computer Graphics Forum*, Vol. 15, No. 3, pp. C387–C396, C484, Sep. 1996.
- [Barr86] A. H. Barr. Ray Tracing Deformed Surfaces. *Computer Graphics*, Vol. 20, No. 4, pp. 287–296, Aug. 1986.
- [Bart93] W. Barth and W. Sturzlinger. Efficient Ray Tracing for Bezier and B-Spline Surfaces. *Computers & Graphics*, Vol. 17, No. 4, pp. 423–430, July-Aug. 1993.
- [Bart94] W. Barth, R. Lieger, and M. Schindler. Ray tracing general parametric surfaces using interval arithmetic. *Visual Computer*, Vol. 10, No. 7, pp. 363–371, 1994.
- [Bell94] V. Belloli, S. Callegari, C. Gatti, M. Della Monica, and D. Marini. RayFilling: A new method to accelerate ray casting. *Computers and Graphics*, Vol. 18, No. 5, pp. 723–732, Sep.–Oct. 1994.
- [Bent05] C. Benthin, I. Wald, and P. Slusallek. Techniques for Interactive Ray Tracing of Bezier Surfaces. *Journal of Graphics Tools*, 2005. to appear.
- [Biar90] L. Biard. Parametric Surfaces and Ray Tracing. In *Proceedings Eurographics Workshop on Photosimulation, Realism and Physics in Computer Graphics*, pp. 31–51, Rennes, France, June 1990.
- [Bigl06] J. Bigler, A. Stephens, and S. Parker. Design for Parallel Interactive Ray Tracing Systems. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 187–196, 2006.
- [Bikk07] J. Bikker. Real-time Ray Tracing Through the Eyes of a Game Developer. In *Proceedings of the 2007 IEEE Symposium on Interactive Ray Tracing*, pp. 1–, IEEE Computer Society, Washington, DC, USA, 2007.
- [Bikk12] J. Bikker. Improving Data Locality for Efficient In-Core Path Tracing. *Comp. Graph. Forum*, Vol. 31, No. 6, pp. 1936–1947, Sep. 2012.
- [Bill09] M. Billeter, O. Olsson, and U. Assarsson. Efficient Stream Compaction on Wide SIMD Many-core Architectures. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 159–166, ACM, New York, NY, USA, 2009.
- [Bing09] F. Bingel, F. Mannuß, and A. Hinkenjann. Ray Tracing on a Cell Cluster for Virtual Environments. In *Proceedings of the 2009 Computer Graphics International Conference*, pp. 109–113, ACM, New York, NY, USA, 2009.
- [Bitt09] J. Bittner and V. Havran. RDH: Ray Distribution Heuristics for Construction of Spatial Data Structures. In H. Hauser, Ed., *25th Spring Conference on Computer Graphics (SCCG 2009)*, pp. 61–67, ACM SIGGRAPH and EUROGRAPHICS, ACM, Budmerice, Slovakia, May 2009.

- [Bitt13] J. Bittner, M. Hapala, and V. Havran. Fast Insertion-Based Optimization of Bounding Volume Hierarchies. *Computer Graphics Forum*, Vol. 32, No. 1, pp. 85–100, 2013.
- [Boua87] K. Bouatouch, M. O. Madani, T. Priol, and B. Arnaldi. A New Algorithm of Space Tracing Using a CSG Model. In G. Marechal, Ed., *Eurographics '87*, pp. 65–78, North-Holland, Aug. 1987.
- [Boul07] S. Boulos, D. Edwards, J. D. Lacewell, J. Kniss, J. Kautz, P. Shirley, and I. Wald. Packet-based Whitted and Distribution Ray Tracing. In *Proceedings of Graphics Interface 2007*, pp. 177–184, ACM, New York, NY, USA, 2007.
- [Bron02] H. Brönnimann and M. Glisse. Cost optimal trees for ray shooting. In *Abstracts of the 12th Fall Workshop Computational Geometry*, DIMACS, November 2002.
- [Bron85] W. F. Bronsvoort and F. Klok. Ray Tracing Generalized Cylinders. *ACM Transactions on Graphics*, Vol. 4, No. 4, pp. 291–303, Oct. 1985.
- [Cade07] G. Cadet and B. Lecussan. Coupled Use of BSP and BVH Trees in Order to Exploit Ray Bundle Performance. In *Interactive Ray Tracing, 2007. RT '07. IEEE Symposium on*, pp. 63–71, Sept 2007.
- [Camp97] S. Campagna, P. Slusallek, and H. Seidel. Ray tracing of spline surfaces: Bézier clipping, Chebyshev boxing, and bounding volume hierarchy - a critical comparison with new results. *The Visual Computer*, Vol. 13, No. 6, pp. 265–282, 1997. ISSN 0178-2789.
- [Carr06] N. A. Carr, J. Hoberock, K. Crane, and J. C. Hart. Fast GPU Ray Tracing of Dynamic Meshes Using Geometry Images. In *Proceedings of Graphics Interface 2006*, pp. 203–209, Canadian Information Processing Society, Toronto, Ont., Canada, Canada, 2006.
- [Cass95] T. Cassen, K. R. Subramanian, and Z. Michalewicz. Near-Optimal Construction of Partitioning Trees by Evolutionary Techniques. In *Proceedings of Graphics Interface '95*, pp. 263–271, Canada, June 1995.
- [Caza95] F. Cazals, G. Drettakis, and C. Puech. Filtering, Clustering and Hierarchy Construction: A New Solution for Ray-Tracing Complex Scenes. *Computer Graphics Forum*, Vol. 14, No. 3, pp. C/371–382, 1995.
- [Caza97] F. Cazals and C. Puech. Bucket-like space partitioning data-structures with applications to ray-tracing. In *13th ACM Symposium on Computational Geometry*, pp. 11–20, Nice, 1997.
- [Chan04] A. Y.-H. Chang. *Theoretical and Experimental Aspects of Ray Shooting*. PhD thesis, Politechnic University, USA, 2004.
- [Chap90] J. Chapman, T. W. Calvert, and J. Dill. Exploiting Temporal Coherence in Ray Tracing. In *Proceedings of Graphics Interface '90*, pp. 196–204, Canadian Information Processing Society, Toronto, Ontario, May 1990.
- [Chap91] J. Chapman, T. W. Calvert, and J. Dill. Spatio-Temporal Coherence in Ray Tracing. In *Proceedings of Graphics Interface '91*, pp. 101–108, June 1991.
- [Char90] M. J. Charney and I. D. Scherson. Efficient Traversal of Well-Behaved Hierarchical Trees of Extents for Ray-Tracing Complex Scenes. *The Visual Computer*, Vol. 6, No. 3, pp. 167–178, June 1990.
- [Choi10] B. Choi, R. Komuravelli, V. Lu, H. Sung, R. L. Bocchino, S. V. Adve, and J. C. Hart. Parallel SAH k-D Tree Construction. In *Proceedings of the Conference on High Performance Graphics*, pp. 77–86, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2010.

- [Choi92] H. K. Choi and C. M. Kyung. PYSHA: a shadow-testing acceleration scheme for ray tracing. *Computer-aided design*, Vol. 24, No. 2, pp. 93–104, Feb. 1992. hybrid scheme of light buffer and grid subdivision with cost comparison on the fly.
- [Chua95] J.-H. Chuang and W.-J. Hwang. A new space subdivision for ray tracing CSG solids. *IEEE Computer Graphics and Applications*, Vol. 15, No. 6, pp. 56–62, Nov. 1995.
- [Clea88] J. G. Cleary and G. Wyvill. Analysis of an algorithm for fast ray tracing using uniform space subdivision. *The Visual Computer*, Vol. 4, No. 2, pp. 65–83, July 1988.
- [Cohe94] D. Cohen. Voxel Traversal along a 3D Line. In P. Heckbert, Ed., *Graphics Gems IV*, pp. 366–369, Academic Press, Boston, 1994.
- [Coqu84] S. Coquillart and M. Gangnet. Shaded Display of Digital Maps. *j-IEEE-CGA*, Vol. 4, No. 7, pp. 35–42, July 1984.
- [Cych92] J. M. Cychosz. Use of Residency Masks and Object Space Partitioning to Eliminate Ray-Object Intersection Calculations. In D. Kirk, Ed., *Graphics Gems III*, pp. 284–287, Academic Press, San Diego, 1992.
- [Damm06] H. Dammertz and A. Keller. Improving Ray Tracing Precision by World Space Intersection Computation. In *Proc. 2006 IEEE Symposium on Interactive Ray Tracing*, pp. 25–32, 2006.
- [Damm08] H. Dammertz, J. Hanika, and A. Keller. Shallow Bounding Volume Hierarchies for Fast SIMD Ray Tracing of Incoherent Rays. In *Proceedings of the Nineteenth Eurographics Conference on Rendering*, pp. 1225–1233, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2008.
- [DCoh94] D.Cohen and Z.Sheffer. Proximity clouds - an acceleration technique for 3D grid traversal. *The Visual Computer*, Vol. 11, pp. 27–38, 1994.
- [Devi89] O. Devillers. The Macro-regions: an Efficient Space Subdivision Structure for Ray Tracing. In W. Hansmann, F. R. A. Hopgood, and W. Strasser, Eds., *Eurographics '89*, pp. 27–38, Elsevier / North-Holland, Sep. 1989.
- [Djeu11] P. Djeu, W. Hunt, R. Wang, I. Elhassan, G. Stoll, and W. R. Mark. Razor: An Architecture for Dynamic Multiresolution Ray Tracing. *ACM Trans. Graph.*, Vol. 30, No. 5, pp. 115:1–115:26, Oct. 2011.
- [Dmit04] K. Dmitriev, V. Havran, and H.-P. Seidel. Faster Ray Tracing with SIMD Shaft Culling. Research Report MPI-I-2004-4-006, Max-Planck-Institut für Informatik, Saarbrücken, Germany, December 2004.
- [Doyl13] M. J. Doyle, C. Fowler, and M. Manzke. A Hardware Unit for Fast SAH-optimised BVH Construction. *ACM Trans. Graph.*, Vol. 32, No. 4, pp. 139:1–139:10, July 2013.
- [Efre05a] A. Efremov. *Efficient Ray Tracing of Trimmed NURBS Surfaces*. Master's thesis, MPI Informatik, Germany, 2005.
- [Efre05b] A. Efremov, V. Havran, and H.-P. Seidel. Robust and Numerically Stable Bezier Clipping Method for Ray Tracing NURBS Surfaces. In B. Juettler, Ed., *21st Spring Conference on Computer Graphics (SCCG 2005)*, pp. 123–131, ACM SIGGRAPH and EUROGRAPHICS, ACM, Budmerice, Slovakia, 2005.
- [Eise12] M. Eisemann, P. Bauszat, S. Guthe, and M. Magnor. Geometry Presorting for Implicit Object Space Partitioning. *Comp. Graph. Forum*, Vol. 31, No. 4, pp. 1445–1454, June 2012.

- [Endl94] R. Endl and M. Sommer. Classification of ray-generators in uniform subdivisions and octrees for ray tracing. *Computer Graphics Forum*, Vol. 13, No. 1, pp. 3–19, March 1994.
- [Endl95] R. Endl. An Object-Oriented Ray Tracing Architecture for the Analysis of Ray-Generators in Spatial Subdivisions. In H. P. Santo, Ed., *Compugraphics '95*, pp. 268–277, Dec. 1995. ISBN 972-8342-00-4.
- [Enge92] W. Enger. Interval Ray Tracing – a divide and conquer strategy for realistic computer graphics. *The Visual Computer*, Vol. 8, No. 9, pp. 91–104, 1992. ISSN 0178-2789.
- [Erns07] M. Ernst and G. Greiner. Early Split Clipping for Bounding Volume Hierarchies. In *Proceedings of the 2007 IEEE Symposium on Interactive Ray Tracing*, pp. 73–78, IEEE Computer Society, Washington, DC, USA, 2007.
- [Erns12] M. Ernst, S. Woop, I. Wald, C. Benthin, and W. R. Mark. Combining Single and Packet-Ray Tracing for Arbitrary Ray Distributions on the Intel MIC Architecture. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 18, No. 9, pp. 1438–1448, 2012.
- [Fori96] T. Foris, G. Márton, and L. Szirmay-Kalos. Ray Shooting in Logarithmic Time. In *Winter School of Computer Graphics 1996*, pp. 84–90, Feb. 1996. held at University of West Bohemia, Plzen, Czech Republic, 12-16 February 1996.
- [Four93] A. Fournier and P. Poulin. A Ray Tracing Accelerator Based on a Hierarchy of 1D Sorted Lists. In *Proceedings of Graphics Interface '93*, pp. 53–61, Canadian Information Processing Society, Toronto, Ontario, May 1993.
- [Four94] A. Fournier and J. Buchanan. Chebyshev Polynomials for Boxing and Intersections of Parametric Curves and Surfaces. *Computer Graphics Forum*, Vol. 13, No. 3, pp. C/127–C/142, 1994.
- [Fowl09] C. Fowler, S. Collins, and M. Manzke. Accelerated Entry Point Search Algorithm for Real-time Ray-tracing. In *Proceedings of the 25th Spring Conference on Computer Graphics*, pp. 59–66, ACM, New York, NY, USA, 2009.
- [Frie06] H. Friedrich, J. Günther, A. Dietrich, M. Scherbaum, H.-P. Seidel, and P. Slusallek. Exploring the Use of Ray Tracing for Future Games. In *Proceedings of the 2006 ACM SIGGRAPH Symposium on Videogames*, pp. 41–50, ACM, New York, NY, USA, 2006.
- [Fuji86] A. Fujimoto, T. Tanaka, and K. Iwata. ARTS: Accelerated Ray Tracing System. *IEEE Computer Graphics and Applications*, Vol. 6, No. 4, pp. 16–26, 1986.
- [Gara09] K. Garanzha. The Use of Precomputed Triangle Clusters for Accelerated Ray Tracing in Dynamic Scenes. In *Proceedings of the Twentieth Eurographics Conference on Rendering*, pp. 1199–1206, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2009.
- [Garg93] I. Gargantini and H. H. Atkinson. Ray tracing an octree: numerical evaluation of the first intersection. *Computer Graphics Forum*, Vol. 12, No. 4, pp. 199–210, Oct. 1993.
- [Garg95] I. Gargantini and J. H. G. Redekop. Evaluating Exact Intersections of an Octree with Full Rays using only Radix-Sort and Meet Operations. In H. P. Santo, Ed., *Compugraphics '95*, pp. 278–284, Dec. 1995. ISBN 972-8342-00-4.
- [Gene93] J. Genetti and D. Gordon. Ray Tracing with Adaptive Supersampling in Object Space. In *Proceedings of Graphics Interface '93*, pp. 70–77, Canadian Information Processing Society, Toronto, Ontario, May 1993.
- [Gene98] J. Genetti, D. Gordon, and G. Williams. Adaptive Supersampling in Object Space Using Pyramidal Rays. In *Computer Graphics Forum*, pp. 29–54, March 1998.

- [Gerv86] M. Gervautz. Three Improvements of the Ray Tracing Algorithm For CSG Trees. *Computers and Graphics*, Vol. 10, No. 4, pp. 333–339, 1986.
- [Gerv92] M. Gervautz. Consistent schemes for addressing surfaces when ray tracing transparent CSG objects. *Computer Graphics Forum*, Vol. 11, No. 4, pp. 203–211, Oct. 1992.
- [Giga88] M. Gigante. Accelerated Ray Tracing Using Non-Uniform Grids. In *Proceedings of Ausgraph '90*, pp. 157–163, 1988.
- [Glas84] A. S. Glassner. Space Subdivision For Fast Ray Tracing. *IEEE Computer Graphics and Applications*, Vol. 4, No. 10, pp. 15–22, Oct. 1984.
- [Glas88] A. S. Glassner. Spacetime ray tracing for animation. *IEEE Computer Graphics and Applications*, Vol. 8, No. 2, pp. 60–70, March 1988.
- [Glas89] A. S. Glassner. *An Introduction to Ray Tracing*. Academic Press, 1989.
- [Gold13] M. Goldfarb, Y. Jo, and M. Kulkarni. General Transformations for GPU Execution of Tree Traversals. In *Proceedings of SC13: International Conference for High Performance Computing, Networking, Storage and Analysis*, pp. 10:1–10:12, ACM, New York, NY, USA, 2013.
- [Gold87] J. Goldsmith and J. Salmon. Automatic Creation of Object Hierarchies for Ray Tracing. *IEEE Computer Graphics and Applications*, Vol. 7, No. 5, pp. 14–20, May 1987.
- [Gonz98] P. Gonzalez and F. Gisbert. Object and Ray Coherence in the Optimization of the Ray Tracing Algorithm. In *Proceedings of Computer Graphics International '98 (CGI'98)*, pp. 264–267, IEEE, NY, Hannover, Germany, June 1998.
- [Grib07] C. P. Gribble, T. Ize, A. E. Kensler, I. Wald, and S. G. Parker. A Coherent Grid Traversal Approach to Visualizing Particle-Based Simulation Data. *IEEE Trans. Vis. Comput. Graph.*, Vol. 13, No. 4, pp. 758–768, 2007.
- [Groe93] E. Groeller. Oct-tracing animation sequences. In *Summer school in computer graphics in Bratislava (SCCG93)*, pp. 96–101, June 1993.
- [Grol91] E. Groller and W. Purgathofer. Using Temporal and Spatial Coherence for Accelerating the Calculation of Animation Sequences. In W. Purgathofer, Ed., *Eurographics '91*, pp. 103–113, North-Holland, Sep. 1991.
- [Grun11] L. Grünschloß, M. Stich, S. Nawaz, and A. Keller. MSBVH: An Efficient Acceleration Data Structure for Ray Traced Motion Blur. In *Proceedings of the ACM SIGGRAPH Symposium on High Performance Graphics*, pp. 65–70, ACM, New York, NY, USA, 2011.
- [Gu13] Y. Gu, Y. He, K. Fatahalian, and G. Bluelloch. Efficient BVH Construction via Approximate Agglomerative Clustering. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 81–88, ACM, New York, NY, USA, 2013.
- [Gunt06] J. Günther, H. Friedrich, I. Wald, H.-P. Seidel, and P. Slusallek. Ray Tracing Animated Scenes using Motion Decomposition. *Technical Report UUSCI-2006-022*, 2006. (to appear).
- [Gunt07] J. Gunther, S. Popov, H.-P. Seidel, and P. Slusallek. Realtime Ray Tracing on GPU with BVH-based Packet Traversal. In *Proceedings of the 2007 IEEE Symposium on Interactive Ray Tracing*, pp. 113–118, IEEE Computer Society, Washington, DC, USA, 2007.
- [Gunt10] S. Guntury and P. J. Narayanan. Ray Tracing Dynamic Scenes with Shadows on GPU. In *Proceedings of the 10th Eurographics Conference on Parallel Graphics and Visualization*, pp. 27–34, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2010.

- [Hain86] E. A. Haines and D. P. Greenberg. The Light Buffer: A Ray Tracer Shadow Testing Accelerator. *IEEE Computer Graphics and Applications*, Vol. 6, No. 9, pp. 6–16, Sep. 1986.
- [Hain87] E. A. Haines. A Proposal for Standard Graphics Environments. *IEEE Computer Graphics and Applications*, Vol. 7, No. 11, pp. 3–5, Nov. 1987. Available from <http://www.acm.org/pubs/tog/resources/SPD/overview.html>.
- [Hain91a] E. A. Haines. Efficiency Improvements for Hierarchy Traversal. In J. Arvo, Ed., *Graphics Gems II*, pp. 267–273, Academic Press, San Diego, 1991.
- [Hain91b] E. A. Haines. Fast Ray-Convex Polyhedron Intersection. In J. Arvo, Ed., *Graphics Gems II*, pp. 247–250, Academic Press, San Diego, 1991. includes code.
- [Hani10] J. Hanika, A. Keller, and H. P. A. Lensch. Two-level Ray Tracing with Reordering for Highly Complex Scenes. In *Proceedings of Graphics Interface 2010*, pp. 145–152, Canadian Information Processing Society, Toronto, Ont., Canada, Canada, 2010.
- [Hanr83] P. Hanrahan. Ray Tracing Algebraic Surfaces. *Computer Graphics (SIGGRAPH '83 Proceedings)*, Vol. 17, No. 3, pp. 83–90, July 1983.
- [Hapa11a] M. Hapala and V. Havran. Review: Kd-tree Traversal Algorithms for Ray Tracing. *Computer Graphics Forum*, Vol. 30, No. 1, pp. 199–213, march 2011. doi: 10.1111/j.1467-8659.2010.01844.x, Article first published online: 24 JAN 2011.
- [Hapa11b] M. Hapala, O. Karlik, and V. Havran. When It Makes Sense to Use Uniform Grids for Ray Tracing. In *Proceedings of WSCG'2011, communication papers*, pp. 193–200, Feb 2011.
- [Hapa13] M. Hapala, T. Davidovič, I. Wald, V. Havran, and P. Slusallek. Efficient Stack-less BVH Traversal for Ray Tracing. In *Proceedings of the 27th Spring Conference on Computer Graphics*, pp. 7–12, ACM, New York, NY, USA, 2013.
- [Hart89] J. C. Hart, D. J. Sandin, and L. H. Kauffman. Ray Tracing Deterministic 3-D Fractals. In J. Lane, Ed., *Computer Graphics (SIGGRAPH '89 Proceedings)*, pp. 289–296, July 1989.
- [Hart93] J. C. Hart. Ray Tracing Implicit Surfaces. Tech. Rep. EECS-93-014, Washington State University - School of EECS, 1993.
- [Hart96] J. C. Hart. Sphere tracing: a geometric method for the antialiased ray tracing of implicit surfaces. *The Visual Computer*, Vol. 12, No. 9, pp. 527–545, 1996. ISSN 0178-2789.
- [Have10] J. Havel and A. Herout. Yet Faster Ray-Triangle Intersection (Using SSE4). *IEEE Transactions on Visualization and Computer Graphics*, Vol. 16, No. 3, pp. 434–438, May 2010.
- [Havr00a] V. Havran and J. Bittner. LCTS: Ray Shooting using Longest Common Traversal Sequences. *Computer Graphics Forum (Proc. Eurographics '2000)*, Vol. 19, No. 3, pp. C59–C70, Aug 2000.
- [Havr00b] V. Havran, L. Dachs, and J. Žára. VIS-RT: A Visualization System for RT Spatial Data Structures. In *Proceedings of WSCG'2000, short communication papers*, pp. 28–35, Feb 2000.
- [Havr00c] V. Havran. *Heuristic Ray Shooting Algorithms*. PhD thesis, Czech Technical University in Prague, November 2000.
- [Havr00d] V. Havran, J. Příkryl, and W. Purgathofer. Statistical Comparison of Ray-Shooting Efficiency Schemes. Tech. Rep. TR-186-2-00-14, Institute of Computer Graphics, Vienna University of Technology, Favoritenstrasse 9/186, A-1040 Vienna, Austria, May 2000. human contact: technical-report@cg.tuwien.ac.at.

- [Havr02] V. Havran and J. Bittner. On Improving KD-Trees for Ray Shooting. *Journal of WSCG*, Vol. 10, No. 1, pp. 209–216, February 2002.
- [Havr03a] V. Havran, J. Bittner, and H.-P. Seidel. Exploiting Temporal Coherence in Ray Casted Walk-throughs. In K. I. Joy, Ed., *Proceedings of the 19th Spring Conference on Computer Graphics 2003 (SCCG 03)*, pp. 164–172, ACM, Budmerice, Slovakia, April 2003.
- [Havr03b] V. Havran, C. Domez, K. Myszkowski, and H.-P. Seidel. An Efficient Spatio-Temporal Architecture for Animation Rendering. In P. Christensen and D. Cohen-Or, Eds., *Rendering Techniques 2003 : 14th Eurographics Workshop on Rendering*, pp. 106–117, Association of Computing Machinery (ACM), ACM, Leuven, Belgium, June 2003.
- [Havr03c] V. Havran and W. Purgathofer. On Comparing Ray Shooting Algorithms. *Computers & Graphics*, Vol. 27, No. 4, pp. 593–604, 2003.
- [Havr05] V. Havran, R. Herzog, and H.-P. Seidel. Fast Final Gathering via Reverse Photon Mapping. *Computer Graphics Forum (Proceedings of Eurographics 2005)*, Vol. 24, No. 3, pp. 323–333, August 2005.
- [Havr06] V. Havran, R. Herzog, and H.-P. Seidel. On the Fast Construction of Spatial Hierarchies for Ray Tracing. In *Proceedings of IEEE Symposium on Interactive Ray Tracing 2006*, pp. 71–80, Sep. 2006.
- [Havr07a] V. Havran and J. Bittner. Stackless Ray Traversal for kD-Trees with Sparse Boxes. *Computer Graphics & Geometry*, Vol. 9, No. 3, pp. 16–30, December 2007.
- [Havr07b] V. Havran. About the Relation between Spatial Subdivisions and Object Hierarchies Used in Ray Tracing. In M. Sbert, Ed., *23rd Spring Conference on Computer Graphics (SCCG 2007)*, pp. 55–60, ACM SIGGRAPH and EUROGRAPHICS, ACM, Budmerice, Slovakia, May 2007.
- [Havr07c] V. Havran and J. Bittner. Ray Tracing with Sparse Boxes. In M. Sbert, Ed., *23rd Spring Conference on Computer Graphics (SCCG 2007)*, pp. 49–54, ACM SIGGRAPH and EUROGRAPHICS, ACM, Budmerice, Slovakia, May 2007.
- [Havr97a] V. Havran. Cache Sensitive Representation for the BSP Tree. In *Proceedings of Compugraphics'97*, pp. 369–376, GRASP – Graphics Science Promotions & Publications, Dec. 1997.
- [Havr97b] V. Havran, T. Kopal, J. Bittner, and J. Žára. Fast Robust Bsp Tree Traversal Algorithm for Ray Tracing. *Journal of Graphics Tools*, Vol. 2, No. 4, pp. 15–23, Dec. 1997. Published in 1998.
- [Havr97c] V. Havran and J. Žára. Evaluation of BSP properties for ray-tracing. In *Proceedings of SCCG'97 (Spring Conference on Computer Graphics)*, pp. 155–162, Budmerice, Jun 1997.
- [Havr98] V. Havran, J. Bittner, and J. Žára. Ray Tracing with Rope Trees. In *Proceedings of SCCG'98 (Spring Conference on Computer Graphics)*, pp. 130–139, Budmerice, Slovak Republic, Apr. 1998.
- [Havr99a] V. Havran. Analysis of Cache Sensitive Representation for Binary Space Partitioning Trees. *Informatica*, Vol. 23, No. 3, pp. 203–210, May 1999.
- [Havr99b] V. Havran and J. Bittner. Rectilinear BSP Trees for Preferred Ray Sets. In *Proceedings of SCCG'99 (Spring Conference on Computer Graphics)*, pp. 171–179, Budmerice, Slovak Republic, Apr/May 1999.
- [Heck84] P. S. Heckbert and P. Hanrahan. Beam Tracing Polygonal Objects. *Computer Graphics (SIGGRAPH'84 Proceedings)*, Vol. 18, No. 3, pp. 119–127, July 1984.

- [Heid98] W. Heidrich and H.-P. Seidel. Ray-Tracing Procedural Displacement Shaders. In *Graphics Interface*, pp. 8–16, June 1998.
- [Held97] M. Held. ERIT: A Collection of Efficient and Reliable Intersection Tests. *journal of graphics tools*, Vol. 2, No. 4, pp. 25–44, 1997.
- [Horv92] T. Horvath, G. Márton, P. Risztics, and L. Szirmay-Kalos. Ray coherence between a sphere and a convex polyhedron. *Computer Graphics Forum*, Vol. 11, No. 2, pp. 163–172, June 1992.
- [Hsiu92] P.-K. Hsiung and R. H. Thibadeau. Accelerating ARTS. *The Visual Computer*, Vol. 8, No. 3, pp. 181–190, March 1992. nested grid subdivision structures.
- [Hubo06] E. Hubo, T. Mertens, T. Haber, and P. Bekaert. The Quantized kd-Tree: Efficient Ray Tracing of Compressed Point Clouds. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 105–113, 2006.
- [Hunt06] W. Hunt, W. Mark, and G. Stoll. Fast kd-tree Construction with an Adaptive Error-Bounded Heuristic. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 81–88, 2006.
- [Hunt07] W. Hunt, W. R. Mark, and D. Fussell. Fast and Lazy Build of Acceleration Structures from Scene Hierarchies. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 47–54, 2007.
- [Ip97] H. H. S. Ip, K. C. K. Law, and G. K. P. Fung. Epipolar plane space subdivision method in stereoscopic ray tracing. *The Visual Computer*, Vol. 13, No. 6, pp. 247–264, 1997. ISSN 0178-2789.
- [Ize07a] T. Ize, P. Shirley, and S. Parker. Grid Creation Strategies for Efficient Ray Tracing. In *Proceedings of the 2007 IEEE Symposium on Interactive Ray Tracing*, pp. 27–32, IEEE Computer Society, Washington, DC, USA, 2007.
- [Ize07b] T. Ize, I. Wald, and S. G. Parker. Asynchronous BVH Construction for Ray Tracing Dynamic Scenes on Parallel Multi-core Architectures. In *Proceedings of the 7th Eurographics Conference on Parallel Graphics and Visualization*, pp. 101–108, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2007.
- [Jans86] F. W. Jansen. Data Structures for Ray Tracing. In L. R. A. Kessener, F. J. Peters, and M. L. P. van Lierop, Eds., *Data Structures for Raster Graphics*, pp. 57–73, Springer-Verlag, New York, 1986. Eurographic Seminar.
- [Jeva89] D. Jevans and B. Wyvill. Adaptive voxel subdivision for ray tracing. *Proceedings of Graphics Interface '89*, pp. 164–172, June 1989.
- [Jeva92] D. Jevans. Object Space Temporal Coherence for Ray Tracing. In *Proceedings of Graphics Interface '92*, pp. 176–183, Canadian Information Processing Society, Toronto, Ontario, May 1992.
- [Joy86] K. I. Joy and M. N. Bhetanabhotla. Ray Tracing Parametric Surface Patches Utilizing Numerical Techniques and Ray Coherence. *Computer Graphics*, Vol. 20, No. 4, pp. 279–285, Aug. 1986.
- [Kaji83] J. T. Kajiya. New Techniques For Ray Tracing Procedurally Defined Objects. In *Computer Graphics (SIGGRAPH '83 Proceedings)*, pp. 91–102, July 1983.
- [Kalo09] J. Kalojanov and P. Slusallek. A Parallel Algorithm for Construction of Uniform Grids. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 23–28, ACM, New York, NY, USA, 2009.

- [Kalr89] D. Kalra and A. H. Barr. Guaranteed Ray Intersections with Implicit Surfaces. In J. Lane, Ed., *SIGGRAPH '89 Proceedings*, pp. 297–306, July 1989.
- [Kang13] Y.-S. Kang, J.-H. Nah, W.-C. Park, and S.-B. Yang. gkDtree: A Group-based Parallel Update Kd-tree for Interactive Ray Tracing. *J. Syst. Archit.*, Vol. 59, No. 3, pp. 166–175, March 2013.
- [Kapl85] M. Kaplan. *Space-Tracing: A Constant Time Ray-Tracer*, pp. 149–158. July 1985.
- [Kapl87] M. R. Kaplan. The Use of Spatial Coherence in Ray Tracing. In D. E. Rogers and R. A. Earnshaw, Eds., *Techniques for Computer Graphics*, pp. 173–193, Springer Verlag, 1987.
- [Karr12] T. Karras. Maximizing Parallelism in the Construction of BVHs, Octrees, and K-d Trees. In *Proceedings of the Fourth ACM SIGGRAPH / Eurographics Conference on High-Performance Graphics*, pp. 33–37, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2012.
- [Karr13] T. Karras and T. Aila. Fast Parallel Construction of High-quality Bounding Volume Hierarchies. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 89–99, ACM, New York, NY, USA, 2013.
- [Kay86] T. L. Kay and J. T. Kajiya. Ray Tracing Complex Scenes. In D. C. Evans and R. J. Athay, Eds., *SIGGRAPH '86 Proceedings*, pp. 269–278, Aug. 1986.
- [Ke93] H.-R. Ke and R.-C. Chang. An Efficient Hierarchical Traversal Algorithm for Ray Tracing. *Visual Computer*, Vol. 10, No. 2, pp. 79–87, 1993.
- [Ke95] H. R. Ke and R. C. Chang. Ray-cast volume rendering accelerated by incremental trilinear interpolation and cell templates. *The Visual Computer*, Vol. 11, No. 6, pp. 297–308, 1995. ISSN 0178-2789.
- [Keat95] M. J. Keates and R. J. Hubbard. Interactive Ray Tracing on a Virtual Shared-Memory Parallel Computer. *Computer Graphics Forum*, Vol. 14, No. 4, pp. 189–202, Oct. 1995.
- [Kell13] A. Keller, T. Karras, I. Wald, T. Aila, S. Laine, J. Bikker, C. Gribble, W.-J. Lee, and J. McCombe. Ray Tracing is the Future and Ever Will Be... In *ACM SIGGRAPH 2013 Courses*, pp. 9:1–9:7, ACM, New York, NY, USA, 2013.
- [Kens06] A. Kensler and P. Shirley. Optimizing Ray-Triangle Intersection via Automated Search. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 33–38, 2006.
- [Kim10a] T.-J. Kim, B. Moon, D. Kim, and S.-E. Yoon. RACBVHs: Random-Accessible Compressed Bounding Volume Hierarchies. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 16, No. 2, pp. 273–286, March 2010.
- [Kim10b] T.-J. Kim, B. Moon, D. Kim, and S.-E. Yoon. RACBVHs: Random-Accessible Compressed Bounding Volume Hierarchies. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 16, No. 2, pp. 273–286, 2010.
- [Kirk91] D. Kirk and J. Arvo. Improved Ray Tagging for Voxel-Based Ray Tracing. In J. Arvo, Ed., *Graphics Gems II*, pp. 264–266, Academic Press, San Diego, 1991.
- [Klim97] K. S. Klimaszewski and T. W. Sederberg. Faster Ray Tracing Using Adaptive Grids. *IEEE Computer Graphics and Applications*, Vol. 17, No. 1, pp. 42–51, Jan./Feb. 1997.
- [Knol13] A. Knoll, I. Wald, P. A. Navrátil, M. E. Papka, and K. P. Gaither. Ray Tracing and Volume Rendering Large Molecular Data on Multi-core and Many-core Architectures. In *Proceedings of the 8th International Workshop on Ultrascale Visualization*, pp. 5:1–5:8, ACM, New York, NY, USA, 2013.

- [Kopt12] D. Kopta, T. Ize, J. Spjut, E. Brunvand, A. Davis, and A. Kensler. Fast, Effective BVH Updates for Animated Scenes. In *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, pp. 197–204, ACM, New York, NY, USA, 2012.
- [Kopt13] D. Kopta, K. Shkurko, J. Spjut, E. Brunvand, and A. Davis. An Energy and Bandwidth Efficient Ray Tracing Architecture. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 121–128, ACM, New York, NY, USA, 2013.
- [Kuzm94] Y. P. Kuzmin. Ray Traversal of Spatial Structures. *Computer Graphics Forum*, Vol. 13, No. 4, pp. 223–227, Oct. 1994.
- [Kwon98] B. Kwon, D. S. Kim, K.-Y. Chwa, and S. Y. Shin. Memory-Efficient Ray Classification for Visibility Operations. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 4, No. 3, pp. 193–201, july-september 1998.
- [Laga08] A. Lagaë and P. Dutré. Compact, Fast and Robust Grids for Ray Tracing. In *Proceedings of the Nineteenth Eurographics Conference on Rendering*, pp. 1235–1244, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2008.
- [Lain10] S. Laine. Restart Trail for Stackless BVH Traversal. In *Proceedings of the Conference on High Performance Graphics*, pp. 107–111, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2010.
- [Lain13] S. Laine, T. Karras, and T. Aila. Megakernels Considered Harmful: Wavefront Path Tracing on GPUs. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 137–143, ACM, New York, NY, USA, 2013.
- [Laut06] C. Lauterbach, S. eui Yoon, and D. Manocha. RT-DEFORM: Interactive Ray Tracing of Dynamic Scenes using BVHs. In *In Proceedings of the 2006 IEEE Symposium on Interactive Ray Tracing*, pp. 39–45, 2006.
- [Law95] A. Law and R. Yagel. Multi-Frame Thrashless Ray Casting with Advancing Ray-Front. Tech. Rep., Ohio State University, 1995. OSU-CISRC-11/95-TR50.
- [Lee13a] W.-J. Lee, Y. Shin, J. Lee, J.-W. Kim, J.-H. Nah, S. Jung, S. Lee, H.-S. Park, and T.-D. Han. SGRT: A Mobile GPU Architecture for Real-time Ray Tracing. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 109–119, ACM, New York, NY, USA, 2013.
- [Lee13b] W.-J. Lee, Y. Shin, J. Lee, S. Lee, S. Ryu, and J. Kim. Real-time Ray Tracing on Future Mobile Computing Platform. In *SIGGRAPH Asia 2013 Symposium on Mobile Graphics and Interactive Applications*, pp. 56:1–56:5, ACM, New York, NY, USA, 2013.
- [Levn88] G. Levner, P. Tassinari, and D. Marini. A simple general method for ray tracing bicubic surfaces. In R. A. Earnshaw, Ed., *Theoretical Foundations of Computer Graphics and CAD*, pp. 805–820, Springer-Verlag, 1988.
- [Lext00] J. Lext, U. Assarsson, and T. Möller. BART: A Benchmark for Animated Ray Tracing. Tech. Rep., Department of Computer Engineering, Chalmers University of Technology, Göteborg, Sweden, May 2000. Available at <http://www.ce.chalmers.se/BART/>.
- [Lext01a] J. Lext and T. Akenine-Möller. Towards Rapid Reconstruction for Animated Ray Tracing. In *Eurographics 2001 – Short Presentations*, pp. 311–318, 2001.
- [Lext01b] J. Lext, U. Assarsson, and T. Möller. A Benchmark for Animated Ray Tracing. *IEEE Comput. Graph. Appl.*, Vol. 21, No. 2, pp. 22–31, 2001.
- [Lin91] T. T. Y. Lin and M. Slater. Stochastic Ray Tracing Using SIMD Processor Arrays. *The Visual Computer*, Vol. 7, No. 4, pp. 187–199, July 1991.

- [Lisc90] D. Lischinski and J. Gohczarowski. Improved Techniques for Ray Tracing Parametric Surfaces. *The Visual Computer*, Vol. 6, No. 3, pp. 134–152, June 1990.
- [MacD88] D. MacDonald. *Space Subdivision Algorithms for Ray Tracing*. Master's thesis, Department of Computer Science, University of Waterloo, 1988.
- [MacD89] J. D. MacDonald and K. S. Booth. Heuristics for Ray Tracing Using Space Subdivision. In *Proceedings of Graphics Interface '89*, pp. 152–63, Canadian Information Processing Society, Toronto, Ontario, June 1989. criteria for building octree (actually BSP) efficiency structures.
- [MacD90] J. D. MacDonald and K. S. Booth. Heuristics for Ray Tracing Using Space Subdivision. *Visual Computer*, Vol. 6, No. 6, pp. 153–65, 1990. criteria for building octree (actually BSP) efficiency structures.
- [Maho05] J. Mahovsky. *Ray Tracing with Reduced-Precision Bounding Volume Hierarchies*. PhD thesis, University of Calgary, 2005.
- [Mail92] J.-L. Maillot, L. Carraro, and B. Peroche. Progressive Ray Tracing. *Third Eurographics Workshop on Rendering*, pp. 9–20, May 1992.
- [Mais92] E. Maisel and G. Hégron. A Realistic Image Synthesis of Animation Sequences based on Temporal Coherence. In G. Hegron and D. Thalmann, Eds., *Computer Animation and Simulation '92*, Eurographics, ISSN 1017-4656, Cambridge, England, Sep. 1992.
- [Mart00] W. Martin, E. Cohen, R. Fish, and P. Shirley. Practical Ray Tracing of Trimmed NURBS Surfaces. *Journal of Graphics Tools: JGT*, Vol. 5, No. 1, pp. 27–52, 2000.
- [Mart95a] G. Márton and L. Szirmay-Kalos. On Average-case Complexity of Ray Tracing Algorithms. In *Winter School of Computer Graphics 1995*, pp. 187–196, Feb. 1995. held at University of West Bohemia, Plzen, Czech Republic, 14-18 February 1995.
- [Mart95b] G. Márton. Acceleration of Ray Tracing via Voronoi Diagrams. In A. W. Paeth, Ed., *Graphics Gems V*, pp. 268–284, Academic Press, Boston Mass., 1995.
- [Mart97] G. Márton. Surfaces for Ray Tracing: A Fast View-Dependent Algorithm. In H. N. H.P. Seidel, B. Girod, Ed., *Proceedings of 3D Image Analysis and Synthesis '97*, pp. 19–26, Nov. 1997.
- [Maur93] H. Maurel, Y. Duthen, and R. Caubet. A 4D ray tracing. *Computer Graphics Forum*, Vol. 12, No. 3, pp. C285–C294, Aug 1993.
- [McNe92] M. D. J. McNeill, B. C. Shah, M.-P. Hebert, P. F. Lister, and R. L. Grimsdale. Performance of space subdivision techniques in ray tracing. *Computer Graphics Forum*, Vol. 11, No. 4, pp. 213–220, Oct. 1992.
- [Mein91] H.-P. Meinzer, K. Meetz, D. Scheppelmann, U. Engelmann, and H. J. Baur. The Heidelberg Ray Tracing Model. *j-IEEE-CGA*, Vol. 11, No. 6, pp. 34–43, Nov. 1991.
- [Mitic90] D. P. Mitchell. Robust Ray Intersection with Interval Arithmetic. *Graphics Interface*, pp. 68–74, 1990.
- [Mitic94] J. S. B. Mitchell, D. M. Mount, and S. Suri. Query-Sensitive Ray Shooting. In *Proc. 10th Annu. ACM Sympos. Comput. Geom.*, pp. 359–368, 1994.
- [Moel95] T. Moeller. A Linear-time simple bounding volume algorithm. In A. W. Paeth, Ed., *Graphics Gems V*, pp. 242–257, Academic Press, Boston Mass., 1995.

- [Moll97] T. Möller and B. Trumbore. Fast, Minimum Storage Ray-Triangle Intersection. *Journal of Graphics Tools: JGT*, Vol. 2, No. 1, pp. 21–28, 1997.
- [Mont90] C. Montani and R. Scopigno. Ray tracing CSG trees using the sticks representation scheme. *Computers and Graphics*, Vol. 14, No. 3/4, pp. 481–490, 1990.
- [Mora11] B. Mora. Naive Ray-tracing: A Divide-and-conquer Approach. *ACM Trans. Graph.*, Vol. 30, No. 5, pp. 117:1–117:12, Oct. 2011.
- [Muel88] H. Mueller. Time coherence in computer animation by ray tracing. In *Proceedings of Computational Geometry and Applications*, pp. 187–201, 1988. vol.333 of Lecture Notes in Computer Science, Springer Verlag.
- [Muel99] G. Mueller and D. W. Fellner. Hybrid Scene Structuring with Application to Ray Tracing. In *Proceedings of International Conference on Visual Computing (ICVC'99)*, pp. 19–26, Goa, India, Feb. 1999.
- [Musg88] F. K. Musgrave. Grid Tracing: Fast Ray Tracing for Height Fields. Technical Report YALEU/DCS/RR-639, Yale University Dept. of Computer Science Research, 1988.
- [Naba13] K. Nabata, K. Iwasaki, Y. Dobashi, and T. Nishita. Efficient Divide-and-conquer Ray Tracing Using Ray Sampling. In *Proceedings of the 5th High-Performance Graphics Conference*, pp. 129–135, ACM, New York, NY, USA, 2013.
- [Nah10] J.-H. Nah, J.-S. Park, J.-W. Kim, C. Park, and T.-D. Han. Ordered Depth-first Layouts for Ray Tracing. In *ACM SIGGRAPH ASIA 2010 Sketches*, pp. 55:1–55:2, ACM, New York, NY, USA, 2010.
- [Nah11] J.-H. Nah, J.-S. Park, C. Park, J.-W. Kim, Y.-H. Jung, W.-C. Park, and T.-D. Han. T&I Engine: Traversal and Intersection Engine for Hardware Accelerated Ray Tracing. *ACM Trans. Graph.*, Vol. 30, No. 6, pp. 160:1–160:10, Dec. 2011.
- [Naka97] K. Nakamaru and Y. Ohno. Breadth-First Ray Tracing Utilizing Uniform Spatial Subdivision. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 3, No. 4, pp. 316–328, Oct. 1997.
- [Navr07] P. A. Navrátil, D. S. Fussell, C. Lin, and W. R. Mark. Dynamic Ray Scheduling to Improve Ray Coherence and Bandwidth Utilization. Tech. Rep., 2007.
- [Nery13] A. S. Nery, N. Nedjah, F. M. G. França, and L. Jówiak. Parallel Processing of Intersections for Ray-tracing in Application-specific Processors and GPGPUs. *Microprocess. Microsyst.*, Vol. 37, No. 6-7, pp. 739–749, Aug. 2013.
- [Nish90] T. Nishita, T. W. Sederberg, and M. Kakimoto. Ray Tracing Trimmed Rational Surface Patches. *Computer Graphics*, Vol. 24, No. 4, pp. 337–345, Aug. 1990.
- [Nish94] T. Nishita and E. Nakamae. A Method for Displaying Metaballs by using Bézier Clipping. *Computer Graphics Forum*, Vol. 13, No. 3, pp. C/271–C/280, 1994.
- [Novx12] J. Novák and C. Dachsbacher. Rasterized Bounding Volume Hierarchies. *Comp. Graph. Forum*, Vol. 31, No. 2pt2, pp. 403–412, May 2012.
- [Ohta87] M. Ohta and M. Maekawa. Ray Coherence Theorem and Constant Time Ray Tracing Algorithm. In T. L. Kunii, Ed., *Computer Graphics 1987 (Proceedings of CG International '87)*, pp. 303–314, Springer-Verlag, 1987.
- [Pagl92] D. W. Paglieroni and S. M. Petersen. Parametric height field ray tracing. In *Proceedings of Graphics Interface '92*, pp. 192–200, May 1992.

- [Pagl94a] D. W. Paglieroni. Directional Distance Transforms and Height Field Preprocessing for Efficient Ray Tracing. *Graphical Models and Image Processing*, Vol. 59, No. 4, pp. 253–264, July 1994.
- [Pagl94b] D. W. Paglieroni and S. M. Petersen. Height Distributional Distance Transform Methods for Height Field Ray Tracing. *ACM Transactions on Graphics*, Vol. 13, No. 4, pp. 376–399, Oct. 1994.
- [Pagl98] D. W. Paglieroni. The Directional Parameter Plane Transform of a Height Field. *ACM Transactions on Graphics*, Vol. 17, No. 1, pp. 50–70, Jan. 1998.
- [Pant10a] J. Pantaleoni and D. Luebke. HLBVH: Hierarchical LBVH Construction for Real-time Ray Tracing of Dynamic Geometry. In *Proceedings of the Conference on High Performance Graphics*, pp. 87–95, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2010.
- [Pant10b] J. Pantaleoni, L. Fascione, M. Hill, and T. Aila. PantaRay: Fast Ray-traced Occlusion Caching of Massive Scenes. *ACM Trans. Graph.*, Vol. 29, No. 4, pp. 37:1–37:10, July 2010.
- [Park10] S. G. Parker, J. Bigler, A. Dietrich, H. Friedrich, J. Hoberock, D. Luebke, D. McAllister, M. McGuire, K. Morley, A. Robison, and M. Stich. OptiX: A General Purpose Ray Tracing Engine. In *ACM SIGGRAPH 2010 Papers*, pp. 66:1–66:13, ACM, New York, NY, USA, 2010.
- [Park98] S. Parker, P. Shirley, Y. Livnat, C. Hansen, and P.-P. Sloan. Interactive Ray Tracing for Iso-surface Rendering. In D. Ebert, H. Hagen, and H. Rushmeier, Eds., *IEEE Visualization '98*, pp. 233–238, IEEE, 1998.
- [Park99] S. Parker, W. Martin, P.-P. Sloan, P. Shirley, B. Smits, and C. Hansen. Interactive Ray Tracing. In *Symposium on Interactive 3D Graphics: Interactive 3D*, pp. 119–126, April 26-28 1999.
- [Pear91a] A. Pearce. Avoiding Incorrect Shadow Intersections for Ray Tracing. In J. Arvo, Ed., *Graphics Gems II*, pp. 275–276, Academic Press, San Diego, 1991.
- [Pear91b] A. Pearce. A Recursive Shadow Voxel Cache for Ray Tracing. In J. Arvo, Ed., *Graphics Gems II*, pp. 273–274, Academic Press, San Diego, 1991. includes code.
- [Pear91c] A. Pearce and D. Jevans. Exploiting Shadow Coherence in Ray Tracing. In *Proceedings of Graphics Interface '91*, pp. 109–116, June 1991.
- [Peng87] Q. Peng, Y. Zhu, and Y. Liang. A Fast Ray Tracing Algorithm Using Space Indexing Techniques. In G. Marechal, Ed., *Eurographics '87*, pp. 11–23, North-Holland, Aug. 1987.
- [Phar96] M. Pharr and P. Hanrahan. Geometry Caching for Ray-Tracing Displacement Maps. In X. Pueyo and P. Schröder, Eds., *Eurographics Rendering Workshop 1996*, pp. 31–40, Eurographics, Springer Wein, New York City, NY, June 1996. ISBN 3-211-82883-4.
- [Phar97] M. Pharr, C. Kolb, R. Gershbein, and P. Hanrahan. Rendering Complex Scenes with Memory-Coherent Ray Tracing. In T. Whitted, Ed., *SIGGRAPH 97 Conference Proceedings*, pp. 101–108, ACM SIGGRAPH, Addison Wesley, Aug. 1997. ISBN 0-89791-896-7.
- [Popo06] S. Popov, J. Günther, H.-P. Seidel, and P. Slusallek. Experiences with Streaming Construction of SAH KD-Trees. In *Proceedings of the 2006 IEEE Symposium on Interactive Ray Tracing*, pp. 89–94, Sep. 2006.
- [Popo07] S. Popov, J. Günther, H.-P. Seidel, and P. Slusallek. Stackless KD-Tree Traversal for High Performance GPU Ray Tracing. *Computer Graphics Forum*, Vol. 26, No. 3, pp. 415–424, Sep. 2007. (Proceedings of Eurographics).

- [Popo09] S. Popov, I. Georgiev, R. Dimov, and P. Slusallek. Object Partitioning Considered Harmful: Space Subdivision for BVHs. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 15–22, ACM, New York, NY, USA, 2009.
- [Prad91] B. S. S. Pradhan and A. Mukhopadhyay. Adaptive cell division for ray tracing. *Computers and Graphics*, Vol. 15, No. 4, pp. 549–552, 1991.
- [Qin97] K. Qin, M. Gong, Y. Guan, and W. Wang. A new method for speeding up ray tracing NURBS surfaces. *Computers and Graphics*, Vol. 21, No. 5, pp. 577–586, Sep.–Oct. 1997.
- [Rama09] K. Ramani, C. P. Gribble, and A. Davis. StreamRay: A Stream Filtering Architecture for Coherent Ray Tracing. In *Proceedings of the 14th International Conference on Architectural Support for Programming Languages and Operating Systems*, pp. 325–336, ACM, New York, NY, USA, 2009.
- [Ravi13] S. Ravichandran and P. J. Narayanan. Parallel Divide and Conquer Ray Tracing. In *SIGGRAPH Asia 2013 Technical Briefs*, pp. 30:1–30:4, ACM, New York, NY, USA, 2013.
- [Rein00] E. Reinhard, B. Smits, and C. Hansen. Dynamic Acceleration Structures for Interactive Ray Tracing. In *Proceedings of the Eurographics Workshop on Rendering*, pp. 299–306, Brno, Czech Republic, June 2000.
- [Rein96] E. Reinhard, A. J. F. Kok, and F. W. Jansen. Cost Prediction in Ray Tracing. In *Rendering Techniques '96 (Proceedings of the Seventh Eurographics Workshop on Rendering)*, pp. 41–50, Springer-Verlag/Wien, New York, NY, 1996.
- [Reis97] A. Reisman, C. Gotsmann, and A. Schuster. Parallel Progressive Rendering of Animation Sequences at Interactive Rates on Distributed-Memory Machines. In J. Painter, G. Stoll, and Kwan-Liu Ma, Eds., *IEEE Parallel Rendering Symposium*, pp. 39–48, IEEE, Nov. 1997. ISBN 1-58113-010-4.
- [Resh05] A. Reshetov, A. Soupikov, and J. Hurley. Multi-Level Ray Tracing Algorithm. *ACM Transaction of Graphics*, Vol. 24, No. 3, pp. 1176–1185, 2005. (Proceedings of ACM SIGGRAPH).
- [Resh07] A. Reshetov. Faster Ray Packets - Triangle Intersection through Vertex Culling. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 105–112, 2007.
- [Reve00] J. Revelles, C. Urena, and M. Lastra. An Efficient Parametric Algorithm for Octree Traversal. In *Proceedings of WSCG'2000*, pp. 212–219, feb 2000. held at University of West Bohemia, Plzen, Czech Republic, February 2000.
- [Ritt90] J. Ritter. A Simple Ray Rejection Test. In A. S. Glassner, Ed., *Graphics Gems*, pp. 385–386, Academic Press, San Diego, 1990.
- [Rubi80] S. M. Rubin and T. Whitted. A 3-Dimensional Representation for Fast Rendering of Complex Scenes. In *SIGGRAPH '80 Proceedings*, pp. 110–116, July 1980.
- [Same89] H. Samet. Implementing Ray Tracing with Octrees and Neighbor Finding. *Computers and Graphics*, Vol. 13, No. 4, pp. 445–60, 1989. includes code.
- [Sand85] J. Sandor. Octree Data Structures and Perspective Imagery. *Computers and Graphics*, Vol. 9, No. 4, pp. 393–405, 1985.
- [Sche87] I. D. Scherson and E. Caspary. Data Structures and the Time Complexity of Ray Tracing. *The Visual Computer*, Vol. 3, No. 4, pp. 201–213, Dec. 1987.
- [Sede84] T. W. Sederberg and D. C. Anderson. Ray Tracing of Steiner Patches. In H. Christiansen, Ed., *Computer Graphics (SIGGRAPH '84 Proceedings)*, pp. 159–164, July 1984.

- [Sego10] B. Segovia and M. Ernst. Memory Efficient Ray Tracing with Hierarchical Mesh Quantization. In *Proceedings of Graphics Interface 2010*, pp. 153–160, Canadian Information Processing Society, Toronto, Ont., Canada, Canada, 2010.
- [Semw87] S. K. Semwal. *The Slicing Extent Technique for Fast Ray Tracing*. PhD thesis, Department of Computer Science, University of Central Florida, 1987.
- [Semw97] S. Semwal and H. Kvarnstrom. Directional Safe Zones & Dual Extent Algorithms for Efficient Grid Traversal. In *Graphics Interface 97*, pp. 76–87, 1997. University of Colorado.
- [Sher96] A. Sherstyuk. Ray-tracing implicit surfaces: a generalized approach. Technical Report 1996/290, Monash University, 1996.
- [Sher98] A. Sherstyuk. Fast Ray Tracing of Implicit Surfaces. Technical Report 1998/04, Monash University, 1998.
- [Shev07] M. Shevtsov, A. Soupikov, and A. Kapustin. Highly Parallel Fast KD-tree Construction for Interactive Ray Tracing of Dynamic Scenes. *Comput. Graph. Forum*, Vol. 26, No. 3, pp. 395–404, 2007.
- [Shin13] Y. Shin, W.-J. Lee, J. Lee, S.-H. Lee, S. Ryu, and J. Kim. Energy Efficient Data Transmission for Ray Tracing on Mobile Computing Platform. In *SIGGRAPH Asia 2013 Symposium on Mobile Graphics and Interactive Applications*, pp. 64:1–64:5, ACM, New York, NY, USA, 2013.
- [Shin87] M. Shinya, T. Takahashi, and S. Naito. Principles and Applications of Pencil Tracing. In M. C. Stone, Ed., *Computer Graphics (SIGGRAPH '87 Proceedings)*, pp. 45–54, July 1987.
- [Shir91] P. Shirley, K. Sung, and W. Brown. A Ray Tracing Framework for Global Illumination Systems. In *Proceedings of Graphics Interface '91*, pp. 117–128, June 1991.
- [Shum13] V. Shumskiy. Transactions on Computational Science XIX. Chap. GPU Ray Tracing: Comparative Study on Ray-triangle Intersection Algorithms, pp. 78–91, Springer-Verlag, Berlin, Heidelberg, 2013.
- [Simi94] G. Simiakakis and A. M. Day. Five-dimensional Adaptive Subdivision for Ray Tracing. *Computer Graphics Forum*, Vol. 13, No. 2, pp. 133–140, June 1994.
- [Simi95] G. Simiakakis. *Accelerating RayTracing with Directional Subdivision and Parallel Processing*. PhD thesis, University of East Anglia, october 1995.
- [Slat92] M. Slater. Tracing a Ray Through Uniformly Subdivided n-Dimensional Space. *The Visual Computer*, Vol. 9, No. 1, pp. 39–46, 1992.
- [Smit98] B. Smits. Efficiency Issues for Ray Tracing. *Journal of Graphics Tools: JGT*, Vol. 3, No. 2, pp. 1–14, 1998.
- [Snyd87] J. M. Snyder and A. H. Barr. Ray Tracing Complex Models Containing Surface Tessellations. In M. C. Stone, Ed., *Computer Graphics (SIGGRAPH '87 Proceedings)*, pp. 119–128, July 1987.
- [Spee92] L. R. Speer. A New Subdivision Method for High-speed, Memory Efficient Ray Shooting. In *Third Eurographics Workshop on Rendering*, pp. 45–60, Bristol, UK, May 1992.
- [Spju09] J. Spjut, A. Kensler, D. Kopta, and E. Brunvand. TRaX: A Multicore Hardware Architecture for Real-time Ray Tracing. *Trans. Comp.-Aided Des. Integ. Cir. Sys.*, Vol. 28, No. 12, pp. 1802–1815, Dec. 2009.

- [Steir84] H. A. Steinberg. A Smooth Surface Based on Biquadratic Patches. *j-IEEE-CGA*, Vol. 4, No. 9, pp. 20–23, Sep. 1984.
- [Stic09] M. Stich, H. Friedrich, and A. Dietrich. Spatial Splits in Bounding Volume Hierarchies. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 7–13, ACM, New York, NY, USA, 2009.
- [Stue96] W. Stuerzlinger. Bounding Volume Construction using Point Clouds. In *Summer school in computer graphics in Bratislava (SCCG96)*, pp. 239–246, June 1996.
- [Stur98] W. Sturzlinger. Ray-Tracing Triangular Trimmed Free-Form Surfaces. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 4, No. 3, pp. 202–214, july-september 1998.
- [Subr90a] K. R. Subramanian and D. S. Fussel. Applying Space Subdivision Techniques to Volume Rendering. Aug. 1990.
- [Subr90b] K. R. Subramanian and D. S. Fussel. Factors Affecting Performance of Ray Tracing Hierarchies. Tech. Rep. Tx 78712, The University of Texas at Austin, July 1990.
- [Subr90c] K. R. Subramanian and D. S. Fussel. A Search Structure based on K-d Trees for Efficient Ray Tracing. Tech. Rep. PhD Dissertation, Tx 78712-1188, The University of Texas at Austin, Dec. 1990.
- [Subr91] K. R. Subramanian and D. S. Fussell. Automatic Termination Criteria for Ray Tracing Hierarchies. In *Proceedings of Graphics Interface '91*, pp. 93–100, June 1991.
- [Sung91] K. Sung. A DDA Octree Traversal Algorithm for Ray Tracing. In W. Purgathofer, Ed., *Eurographics '91*, pp. 73–85, North-Holland, Sep. 1991.
- [Sung92a] K. Sung. Area sampling buffer: tracing rays with Z-buffer hardware. *Computer Graphics Forum*, Vol. 11, No. 3, pp. C299–C310, C480–C481, 1992.
- [Sung92b] K. Sung and P. Shirley. Ray Tracing with the BSP Tree. In D. Kirk, Ed., *Graphics Gems III*, pp. 271–274, Academic Press, San Diego, 1992. includes code.
- [Swee86] M. Sweeney and R. H. Bartels. Ray Tracing Free-Form B-Spline Surfaces. *IEEE Computer Graphics and Applications*, Vol. 6, No. 2, p. 41, Feb. 1986.
- [Szec03] L. Szécsi, B. Benedek, and L. Szirmay-Kalos. Accelerating Animation Through Verification of Shooting Walks. In *Proceedings of SCCG*, pp. 231–238, ACM Press, 2003.
- [Szir02] L. Szirmay-Kalos, V. Havran, B. Balázs, and L. Szécsi. On the Efficiency of Ray-shooting Acceleration Schemes. In A. Chalmers, Ed., *Proceedings of the 18th Spring Conference on Computer Graphics (SCCG 2002)*, pp. 89–98, ACM Siggraph, Budmerice, Slovakia, 2002.
- [Szir97] L. Szirmay-Kalos and G. Márton. On the Limitations of Worst-case Optimal Ray Shooting Algorithms. In *Winter School of Computer Graphics 1997*, pp. 562–571, Feb. 1997. held at University of West Bohemia, Plzen, Czech Republic, 14-18 February 1997.
- [Szir98a] L. Szirmay-Kalos and G. Márton. Worst-Case Versus Average Case Complexity of Ray-Shooting. *Computing*, Vol. 61, No. 2, pp. 103–131, 1998.
- [Szir98b] L. Szirmay-Kalos and G. Márton. Analysis and construction of worst-case optimal ray shooting algorithms. *Computers and Graphics*, Vol. 22, No. 2–3, pp. 167–174, March 1998.
- [Tell96] S. Teller, K. Bala, and J. Dorsey. Conservative Radiance Interpolants for Ray Tracing. In X. Pueyo and P. Schröder, Eds., *Eurographics Rendering Workshop 1996*, pp. 257–268, Eurographics, Springer Wien, New York City, NY, June 1996. ISBN 3-211-82883-4.

- [Tell98] S. Teller and J. Alex. Frustum Casting for Progressive, Interactive Rendering. Tech. Rep. MIT LCS TR-740, MIT, Jan. 1998.
- [Thia08] S. G. P. Thiago Ize, Ingo Wald. Ray tracing with the BSP tree. In , pp. 159–166, 2008.
- [Thir90] J.-P. Thirion. TRIES: Data Structures Based on Binary Representation for Ray Tracing. In C. E. Vandoni and D. A. Duce, Eds., *Eurographics '90*, pp. 531–541, North-Holland, Sep. 1990.
- [Tong13] W. Tong and Y. Deng. Mining Effective Parallelism from Hidden Coherence for GPU Based Path Tracing. In *SIGGRAPH Asia 2013 Technical Briefs*, pp. 31:1–31:4, ACM, New York, NY, USA, 2013.
- [Torr09] R. Torres, P. J. Martín, and A. Gavilanes. Ray Casting Using a Roped BVH with CUDA. In *Proceedings of the 25th Spring Conference on Computer Graphics*, pp. 95–102, ACM, New York, NY, USA, 2009.
- [Toth85] D. L. Toth. On Ray Tracing Parametric Surfaces. *Computer Graphics*, Vol. 19, No. 3, pp. 171–179, July 1985.
- [Tsak09] J. A. Tsakok. Faster Incoherent Rays: Multi-BVH Ray Stream Tracing. In *Proceedings of the Conference on High Performance Graphics 2009*, pp. 151–158, ACM, New York, NY, USA, 2009.
- [VanW85] J. J. VanWijk. Ray Tracing Objects Defined By Sweeping a Sphere. *Computers and Graphics*, Vol. 9, No. 3, pp. 283–290, 1985.
- [Vink12] M. Vinkler, V. Havran, and J. Sochor. Visibility Driven BVH Build Up Algorithm for Ray Tracing. *Comput. Graph.*, Vol. 36, No. 4, pp. 283–296, June 2012.
- [Vink13] M. Vinkler, J. Bittner, V. Havran, and M. Hapala. Massively Parallel Hierarchical Scene Processing with Applications in Rendering. *Computer Graphics Forum*, Vol. 32, No. 8, pp. 13–25, 2013.
- [Voor90] D. Voorhies. Space-Filling Curves and a Measure of Coherence. In J. Arvo, Ed., *Graphics Gems*, pp. 257–262, Academic Press, San Diego, 1990.
- [Voor91] D. Voorhies and D. Kirk. Ray-Triangle Intersection Using Binary Recursive Subdivision. In J. Arvo, Ed., *Graphics Gems II*, pp. 257–263, Academic Press, San Diego, 1991.
- [Wach06] C. Wächter and A. Keller. Instant Ray Tracing: The Bounding Interval Hierarchy. In *Proceedings of the 17th Eurographics Conference on Rendering Techniques*, pp. 139–149, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2006.
- [Wach07] C. Wachter and A. Keller. Terminating Spatial Hierarchies by A Priori Bounding Memory. *Symposium on Interactive Ray Tracing*, Vol. 0, pp. 41–46, 2007.
- [Wald01] I. Wald, P. Slusallek, C. Benthin, and M. Wagner. Interactive Rendering with Coherent Ray Tracing. In A. Chalmers and T.-M. Rhyne, Eds., *EG 2001 Proceedings*, pp. 153–164, Blackwell Publishing, 2001.
- [Wald03] I. Wald, C. Benthin, and P. Slusallek. Distributed Interactive Ray Tracing of Dynamic Scenes. In *Proceedings of the IEEE Symposium on Parallel and Large-Data Visualization and Graphics (PVG)*, 2003.
- [Wald04] I. Wald. Realtime Ray Tracing and Interactive Global Illumination. *PhD thesis, Saarland University*, Januar 2004.

- [Wald05] I. Wald and H.-P. Seidel. Interactive Ray Tracing of Point Based Models. In *Proceedings of 2005 Symposium on Point Based Graphics*, 2005.
- [Wald06a] I. Wald, A. Dietrich, C. Benthin, A. Efremov, T. Dahmen, J. Günther, V. Havran, H.-P. Seidel, and P. Slusallek. A Ray Tracing based Virtual Reality Framework for Industrial Design. In *Proceedings of the 2006 IEEE Symposium on Interactive Ray Tracing*, pp. 177–185, 2006.
- [Wald06b] I. Wald and V. Havran. On building fast kd-trees for ray tracing, and on doing that in $O(N \log N)$. *Technical Report, SCI Institute, University of Utah, No UUSCI-2006-009 (submitted for publication)*, 2006.
- [Wald06c] I. Wald and V. Havran. On building fast kd-trees for ray tracing, and on doing that in $O(N \log N)$. In *Proceedings of IEEE Symposium on Interactive Ray Tracing 2006*, pp. 61–69, Sep. 2006.
- [Wald06d] I. Wald, T. Ize, A. Kensler, A. Knoll, and S. G. Parker. Ray Tracing Animated Scenes Using Coherent Grid Traversal. In *ACM SIGGRAPH 2006 Papers*, pp. 485–493, ACM, New York, NY, USA, 2006.
- [Wald06e] I. Wald, T. Ize, A. Kensler, A. Knoll, and S. G. Parker. Ray Tracing Animated Scenes using Coherent Grid Traversal. *ACM SIGGRAPH 2006*, 2006.
- [Wald07a] I. Wald. On Fast Construction of SAH-based Bounding Volume Hierarchies. In *Proceedings of the 2007 IEEE Symposium on Interactive Ray Tracing*, pp. 33–40, IEEE Computer Society, Washington, DC, USA, 2007.
- [Wald07b] I. Wald, S. Boulos, and P. Shirley. Ray Tracing Deformable Scenes Using Dynamic Bounding Volume Hierarchies. *ACM Trans. Graph.*, Vol. 26, No. 1, Jan. 2007.
- [Wald08a] I. Wald, T. Ize, and S. G. Parker. Fast, Parallel, and Asynchronous Construction of BVHs for Ray Tracing Animated Scenes. *Computers and Graphics*, Vol. 32, No. 1, pp. 3–13, 2008.
- [Wald08b] I. Wald, T. Ize, and S. G. Parker. Special Section: Parallel Graphics and Visualization: Fast, Parallel, and Asynchronous Construction of BVHs for Ray Tracing Animated Scenes. *Comput. Graph.*, Vol. 32, No. 1, pp. 3–13, Feb. 2008.
- [Wald09] I. Wald, W. R. Mark, J. Günther, S. Boulos, T. Ize, W. Hunt, S. G. Parker, and P. Shirley. State of the Art in Ray Tracing Animated Scenes. *Computer Graphics Forum*, Vol. 28, No. 6, pp. 1691–1722, 2009.
- [Wald11] I. Wald. Active Thread Compaction for GPU Path Tracing. In *Proceedings of the ACM SIGGRAPH Symposium on High Performance Graphics*, pp. 51–58, ACM, New York, NY, USA, 2011.
- [Wald12] I. Wald. Fast Construction of SAH BVHs on the Intel Many Integrated Core (MIC) Architecture. *IEEE Trans. Vis. Comput. Graph.*, Vol. 18, No. 1, pp. 47–57, 2012.
- [Wang00] S.-W. Wang, Z.-C. Shih, and R.-C. Chang. An improved rendering technique for ray tracing Bézier and B-spline surfaces. *The Journal of Visualization and Computer Animation*, Vol. 11, No. 4, pp. 209–219, 2000.
- [Wegh84] H. Weghorst, G. Hooper, and D. P. Greenberg. Improved Computational Methods for Ray Tracing. *ACM Transactions on Graphics*, Vol. 3, No. 1, pp. 52–69, Jan. 1984.
- [Whan95] K. Y. Whang, J. W. Song, J. W. Chang, J. Y. Kim, W. S. Cho, C. M. Park, and I. Y. Song. Octree-R: an adaptive octree for efficient ray tracing. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 1, No. 4, pp. 343–349, Dec. 1995. ISSN 1077-2626.

- [Whit79] T. Whitted. An improved illumination model for shaded display. *Computer Graphics*, Vol. 13, No. 2, pp. 14–14, Aug. 1979.
- [Woo90a] A. Woo. Fast Ray-Box Intersection. In A. S. Glassner, Ed., *Graphics Gems*, pp. 395–396, Academic Press, San Diego, 1990.
- [Woo90b] A. Woo. Fast Ray-Polygon Intersection. In A. S. Glassner, Ed., *Graphics Gems*, p. 394, Academic Press, San Diego, 1990. includes code.
- [Woo90c] A. Woo and J. Amanatides. Voxel Occlusion Testing: A Shadow Determination Accelerator for Ray Tracing. In *Proceedings of Graphics Interface '90*, pp. 213–220, May 1990.
- [Woo92] A. Woo. Ray tracing polygons using spatial subdivision. In *Proceedings of Graphics Interface '92*, pp. 184–191, May 1992.
- [Woo93] A. Woo. Efficient shadow computations in ray tracing. *IEEE Computer Graphics and Applications*, Vol. 13, No. 5, pp. 78–83, Sep. 1993.
- [Woop05] S. Woop, J. Schmittler, and P. Slusallek. RPU: A Programmable Ray Processing Unit for Realtime Ray Tracing. *ACM Trans. Graph.*, Vol. 24, No. 3, pp. 434–444, July 2005.
- [Wu11] Z. Wu, F. Zhao, and X. Liu. SAH KD-tree Construction on GPU. In *Proceedings of the ACM SIGGRAPH Symposium on High Performance Graphics*, pp. 71–78, ACM, New York, NY, USA, 2011.
- [Wyvi86] G. Wyvill, T. L. Kunii, and Y. Shirai. Space Division for Ray Tracing in CSG (Constructive Solid Geometry). *IEEE Computer Graphics and Applications*, Vol. 6, No. 4, pp. 28–34, Apr. 1986.
- [x00c12] A. T. Afra. Interactive Ray Tracing of Large Models Using Voxel Hierarchies. *Comput. Graph. Forum*, Vol. 31, No. 1, pp. 75–88, Feb. 2012.
- [Yage92] R. Yagel, D. Cohen, and A. Kaufman. Discrete Ray Tracing. *IEEE Computer Graphics and Applications*, Vol. 12, No. 5, pp. 19–28, Sep. 1992.
- [Yage97] R. Yagel and J. Meeker. Priority Driven Ray Tracing. *The Journal of Visualization and Computer Animation*, Vol. 8, No. 1, pp. 17–32, Jan. 1997.
- [Yang13] X. Yang, D.-Q. Xu, and L. Zhao. Efficient Data Management for Incoherent Ray Tracing. *Appl. Soft Comput.*, Vol. 13, No. 1, pp. 1–8, Jan. 2013.
- [Yoon06] S.-E. Yoon and D. Manocha. R-LODs: Fast LOD-based Ray Tracing of Massive Models. In *ACM SIGGRAPH 2006 Sketches*, ACM, New York, NY, USA, 2006.
- [Yoon07a] S.-E. Yoon, S. Curtis, and D. Manocha. Ray Tracing Dynamic Scenes Using Selective Restructuring. In *ACM SIGGRAPH 2007 Sketches*, ACM, New York, NY, USA, 2007.
- [Yoon07b] S.-E. Yoon, S. Curtis, and D. Manocha. Ray Tracing Dynamic Scenes Using Selective Restructuring. In *Proceedings of the 18th Eurographics Conference on Rendering Techniques*, pp. 73–84, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2007.
- [Zemv95] P. Zemčik and A. Chalmers. Optimised CSG Tree Evaluation for Space Subdivision. *Computer Graphics Forum*, Vol. 14, No. 2, pp. 139–146, June 1995.
- [Zhen91] J. L. Zheng and C. B. Millham. Linear programming method for ray-convex polyhedron intersection. *Computers and Graphics*, Vol. 15, No. 2, pp. 195–204, 1991.

- [Zhou08] K. Zhou, Q. Hou, R. Wang, and B. Guo. Real-time KD-tree Construction on Graphics Hardware. In *ACM SIGGRAPH Asia 2008 Papers*, pp. 126:1–126:11, ACM, New York, NY, USA, 2008.
- [Zlat10] M. Zlatuska and V. Havran. Ray Tracing on a GPU with CUDA – Comparative Study of Three Algorithms. In *Proceedings of WSCG'2010, communication papers*, pp. 69–76, Feb 2010.
- [Zwaa95] M. van der Zwaan, E. Reinhard, and F. W. Jansen. Pyramid Clipping for Efficient Ray Traversal. In *Proceedings of the Sixth Eurographics Rendering Workshop*, Dublin, Ireland, 1995.

Hidden Surface Removal

- [Appe68] A. Appel. Some Techniques for Shading Machine Renderings of Solids. In *AFIPS 1968 Spring Joint Computer Conf.*, pp. 37–45, 1968.
- [Auzi13] T. Auzinger, M. Wimmer, and S. Jeschke. Analytic Visibility on the GPU. *Comput. Graph. Forum*, Vol. 32, No. 2, pp. 409–418, 2013.
- [Berg93] M. de Berg. Generalized hidden surface removal. In A.-S. ACM-SIGGRAPH, Ed., *Proceedings of the 9th Annual Symposium on Computational Geometry (SCG '93)*, pp. 1–10, ACM Press, San Diego, CA, USA, May 1993.
- [Berg97] M. Berg, M. Kreveld, M. Overmars, and O. Schwarzkopf. *Computational Geometry: Algorithms and Applications*. Springer-Verlag, Berlin, Heidelberg, New York, 1997.
- [Bern94] M. W. Bern, D. P. Dobkin, D. Eppstein, and R. L. Grossman. Visibility with a Moving Point of View. *Algorithmica*, Vol. 11, No. 4, pp. 360–378, Apr. 1994.
- [Bitt02] J. Bittner. Efficient Construction of Visibility Maps using Approximate Occlusion Sweep. In *Proceedings of Spring Conference on Computer Graphics (SCCG'02)*, pp. 163–171, Budmerice, Slovakia, 2002.
- [Carp84] L. Carpenter. The A-buffer, an Antialiased Hidden Surface Method. In H. Christiansen, Ed., *Computer Graphics (SIGGRAPH '84 Proceedings)*, pp. 103–108, July 1984.
- [Catm75] E. E. Catmull. Computer Display of Curved Surfaces. In *Proceedings of the IEEE Conference on Computer Graphics, Pattern Recognition, and Data Structure*, pp. 11–17, May 1975.
- [Catm84] E. Catmull. An Analytic Visible Surface Algorithm for Independent Pixel Processing. In *Computer Graphics, Proceedings of Siggraph*, pp. 109–115, July 1984. Published as *Computer Graphics, Proceedings of Siggraph*, volume 18, number 3.
- [Chen96] H. Chen and W. Wang. The Feudal Priority Algorithm on Hidden-Surface Removal. In *Proceedings of SIGGRAPH '96*, pp. 55–64, Aug. 1996.
- [Chin89] N. Chin and S. Feiner. Near Real-Time Shadow Generation Using BSP Trees. In *Computer Graphics (Proceedings of SIGGRAPH '89)*, pp. 99–106, 1989.
- [Chry92] Y. Chrysanthou and M. Slater. Computing dynamic changes to BSP trees. In *Computer Graphics Forum (EUROGRAPHICS '92 Proceedings)*, pp. 321–332, Sep. 1992.
- [Deva11] F. Dévai. An Optimal Hidden-Surface Algorithm and Its Parallelization. In B. Murgante, O. Gervasi, A. Iglesias, D. Taniar, and B. O. Apduhan, Eds., *ICCSA (3)*, pp. 17–29, Springer, 2011.
- [Dorw94] S. E. Dorward. A survey of object-space hidden surface removal. *Int. J. Comput. Geometry Appl*, Vol. 4, No. 3, pp. 325–362, 1994.
- [Eric99] J. Erickson. Finite-resolution hidden surface removal. *CoRR*, Vol. cs.CG/9910017, 1999.
- [Fuch80] H. Fuchs, Z. M. Kedem, and B. F. Naylor. On Visible Surface Generation by a Priori Tree Structures. pp. 124–133, July 1980.
- [Gord91] D. Gordon and S. Chen. Front-to-back display of BSP trees. *IEEE Computer Graphics and Applications*, Vol. 11, No. 5, pp. 79–85, Sep. 1991.
- [Gran92] C. W. Grant. *Visibility Algorithms in Image Synthesis*. PhD thesis, University of California, Davis, 1992.

- [Gras99] J. Grasset, O. Terraz, J.-M. Hasenfratz, and D. Plemenos. Accurate Scene Display by Using Visibility Maps. In *Spring Conference on Computer Graphics and its Applications*, 1999.
- [Gree93] N. Greene, M. Kass, and G. Miller. Hierarchical Z-Buffer Visibility. In *Computer Graphics (Proceedings of SIGGRAPH '93)*, pp. 231–238, 1993.
- [Gree96] N. Greene. Hierarchical Polygon Tiling with Coverage Masks. In *Proceedings of SIGGRAPH '96*, pp. 65–74, Aug. 1996.
- [Grib11] C. J. Gribel, R. Barringer, and T. Akenine-Möller. High-quality spatio-temporal rendering using semi-analytical visibility. *ACM Trans. Graph*, Vol. 30, No. 4, p. 54, 2011.
- [Gro99] E. F. Grove, T. M. Murali, and J. S. Vitter. The Object Complexity Model for Hidden-Surface Removal. *Int. J. Comput. Geometry Appl*, Vol. 9, No. 2, pp. 207–217, 1999.
- [Heck84] P. S. Heckbert and P. Hanrahan. Beam Tracing Polygonal Objects. *Computer Graphics (SIGGRAPH'84 Proceedings)*, Vol. 18, No. 3, pp. 119–127, July 1984.
- [Jame98a] A. James and A. Day. Conflict Neutralization on Binary Space Partitioning (extended abstract). In *Eurographics UK Proceedings*, pp. 225 – 229, march 1998.
- [Jame98b] A. James and A. Ray. The Priority Face Determination Tree for Hidden Surface Removal. *Computer Graphics Forum*, Vol. 17, No. 1, pp. 55–72, 1998. ISSN 1067-7055.
- [Jone71] C. B. Jones. A New Approach to the ‘Hidden Line’ Problem. *Computer Journal*, Vol. 14, No. 3, pp. 232–237, Aug. 1971.
- [Katz07] S. Katz, A. Tal, and R. Basri. Direct visibility of point sets. *ACM Transactions on Graphics*, Vol. 26, No. 3, pp. 24:1–24:??, July 2007.
- [Mans11] J. Manson and S. Schaefer. Wavelet Rasterization. *Comput. Graph. Forum*, Vol. 30, No. 2, pp. 395–404, 2011.
- [McKe87] M. McKenna. Worst-case Optimal Hidden-Surface Removal. *ACM Transactions on Graphics*, Vol. 6, No. 1, pp. 19–28, Jan. 1987.
- [Meye98] K. Meyer. A Nearly Output Sensitive Parallel Hidden Surface Removal Algorithm in Object Space. In V. Skala, Ed., *WSCG'98 Conference Proceedings*, 1998.
- [Mill96] T. Miller. Hidden-Surfaces: Combining BSP Trees with Graph-Based Algorithms. Tech. Rep. CS-96-15, Department of Computer Graphics, Brown University, Apr. 1996.
- [More95] P. Morer, A. M. Garcia-Alonso, and J. Flaquer. Optimization of a Priority List Algorithm for 3-D Rendering of Buildings. *Computer Graphics Forum*, Vol. 14, No. 4, pp. 217–227, Oct. 1995.
- [Mulg89] K. Mulmuley. An Efficient Algorithm for Hidden Surface Removal. *Computer Graphics*, Vol. 23, No. 3, pp. 379–388, July 1989.
- [Nava87] I. Navazo, J. Fontdecaba, and P. Brunet. Extended octtrees, between CSG trees and boundary representations. In G. Marechal, Ed., *Eurographics '87*, pp. 239–247, North-Holland, Aug. 1987.
- [Nayl90a] B. Naylor. Binary Space Partitioning Trees as an Alternative Representation of Polytopes. *Computer-Aided Design*, pp. 250–252, 1990.
- [Nayl90b] B. Naylor, J. Amanatides, and W. Thibault. Merging BSP Trees Yields Polyhedral Set Operations. *Computer Graphics (SIGGRAPH '90 Proceedings)*, Vol. 24, No. 4, pp. 115–124, Aug. 1990.

- [Nayl92a] B. F. Naylor. Interactive solid geometry via partitioning trees. In *Proceedings of Graphics Interface '92*, pp. 11–18, May 1992.
- [Nayl92b] B. F. Naylor. Partitioning tree image representation and generation from 3D geometric models. In *Proceedings of Graphics Interface '92*, pp. 201–212, May 1992.
- [Nayl93] B. Naylor. Constructing good partition trees. In *Proceedings of Graphics Interface '93*, pp. 181–191, Toronto, Ontario, Canada, May 1993.
- [Newe72] M. E. Newell, R. G. Newell, and T. L. Sancha. A Solution to the Hidden Surface Problem. In *Proceedings of ACM National Conference*, 1972.
- [Olso11] M. Olson, R. Dyer, H. Z. 0002, and A. Sheffer. Point set silhouettes via local reconstruction. *Computers & Graphics*, Vol. 35, No. 3, pp. 500–509, 2011.
- [Over94] Overmars and Sharir. An Improved Technique for Output-Sensitive Hidden Surface Removal. *ALGORITHMICA: Algorithmica*, Vol. 11, 1994.
- [Pint11] R. Pintus, E. Gobbetti, and M. Agus. Real-time Rendering of Massive Unstructured Raw Point Clouds using Screen-space Operators. In F. Niccolucci, M. Dellepiane, S. P. Serna, H. E. Rushmeier, and L. J. V. Gool, Eds., *VAST*, pp. 105–112, Eurographics Association, 2011.
- [Sada00] A. Sadagic and M. Slater. Dynamic Polygon Visibility Ordering for Head-Slaved Viewing in Virtual Environments. In *Computer Graphics Forum*, pp. 111–122, Eurographics Association, 2000.
- [Shar92] M. Sharir and M. H. Overmars. A Simple Output-Sensitive Algorithm for Hidden Surface Removal. *ACM Transactions on Graphics*, Vol. 11, No. 1, pp. 1–11, Jan. 1992.
- [Silv13] R. Machado e Silva, C. Esperana, R. Marroquim, and A. A. F. Oliveira. Image Space Rendering of Point Clouds Using the HPR Operator. *Computer Graphics Forum*, pp. n/a–n/a, 2013.
- [Snyd98] J. Snyder and J. Lengyel. Visibility Sorting and Compositing without Splitting for Image Layer Decomposition. In *Computer Graphics (SIGGRAPH '98 Proceedings)*, pp. 219–230, Addison Wesley, July 1998.
- [Stew98] A. J. Stewart and T. Karkanis. Computing the approximate visibility map, with applications to form factors and discontinuity meshing. In *Proceedings of the Ninth Eurographics Workshop on Rendering*, pp. 57–68, 1998.
- [Suth74] I. E. Sutherland, R. F. Sproull, and R. A. Schumacker. A Characterization of Ten Hidden-Surface Algorithms. *Computing Surveys*, Vol. 6, No. 1, March 1974.
- [Thib87] W. C. Thibault and B. F. Naylor. Set Operations on Polyhedra Using Binary Space Partitioning Trees. In *Computer Graphics (SIGGRAPH '87 Proceedings)*, pp. 153–162, July 1987.
- [Torr90] E. Torres. Optimization of the Binary Space Partition Algorithm (BSP) for the Visualization of Dynamic Scenes. In *Proceedings of Eurographics '90*, pp. 507–518, North-Holland, Sep. 1990.
- [Tost91] D. Tost. An Algorithm of Hidden Surface Removal Based on Frame-to-Frame Coherence. In F. H. Post and W. Barth, Eds., *Proceedings of the 1991 European Computer Graphics Conference and EXhibition (EG-91)*, pp. 261–274, North-Holland, Amsterdam, Sep. 2–6 1991.
- [Warn69] J. Warnock. A Hidden-Surface Algorithm for Computer Generated Half-Tone Pictures. Tech. Rep. TR 4–15, NTIS AD-733 671, University of Utah, Computer Science Department, 1969.

- [Watk70] G. S. Watkins. A Real-Time Visible Surface Algorithm. Tech. Rep. UTECH-CSc-70-101, University of Utah, Salt Lake City, Utah, 1970.
- [Weil77] K. Weiler and P. Atherton. Hidden Surface Removal Using Polygon Area Sorting. In *Computer Graphics (SIGGRAPH '77 Proceedings)*, pp. 214–222, July 1977.
- [Weil80] K. Weiler. Polygon comparison using a graph representation. pp. 10–18, July 1980.

Visibility Culling

- [Aila04] T. Aila and V. Miettinen. dPVS: An Occlusion Culling System for Massive Dynamic Environments. *IEEE Computer Graphics & Applications*, pp. 86–97, 2004.
- [Aire90] J. M. Airey, J. H. Rohlf, and F. P. Brooks, Jr. Towards Image Realism with Interactive Update Rates in Complex Virtual Building Environments. In *Proceedings of Symposium on Interactive 3D Graphics*, pp. 41–50, ACM SIGGRAPH, March 1990.
- [Alia97] D. G. Aliaga and A. A. Lastra. Architectural Walkthroughs Using Portal Textures. In *Proceedings of IEEE Visualization '97*, pp. 355–362, IEEE, Nov. 1997.
- [Assa00] U. Assarsson and T. Möller. Optimized View Frustum Culling Algorithms for Bounding Boxes. *Journal of Graphics Tools*, Vol. 5, No. 1, pp. 9–22, 2000.
- [Bart98] D. Bartz, M. Meissner, and T. Hüttner. Extending Graphics Hardware for Occlusion Queries in OpenGL. In *Proceedings of the 1998 Workshop on Graphics Hardware, Lisbon, Portugal*, pp. 97–104, 1998.
- [Bart99] D. Bartz, M. Meißner, and T. Hüttner. OpenGL-assisted occlusion culling for large polygonal models. *Computers and Graphics*, Vol. 23, No. 5, pp. 667–679, Oct. 1999.
- [Bhoj13] A. Bhojan, Z. Qiang, and A. L. Akkihebbal. Energy Efficient Multi-player Smartphone Gaming Using 3D Spatial Subdivision and Pvs Techniques. In *Proceedings of the 3rd ACM International Workshop on Interactive Multimedia on Mobile & Portable Devices*, pp. 37–42, ACM, New York, NY, USA, 2013.
- [Bitt01a] J. Bittner and V. Havran. Exploiting Coherence in Hierarchical Visibility Algorithms. *Journal of Visualization and Computer Animation, John Wiley & Sons*, Vol. 12, pp. 277–286, 2001.
- [Bitt01b] J. Bittner, P. Wonka, and M. Wimmer. Visibility Preprocessing for Urban Scenes using Line Space Subdivision. In *Proceedings of Pacific Graphics (PG'01)*, pp. 276–284, IEEE Computer Society, Tokyo, Japan, 2001.
- [Bitt02] J. Bittner. *Hierarchical Techniques for Visibility Computations*. PhD thesis, Czech Technical University in Prague, Oct. 2002.
- [Bitt03] J. Bittner and P. Wonka. Visibility in Computer Graphics. *Environment and Planning B: Planning and Design*, Vol. 30, No. 5, pp. 729–756, Sep. 2003.
- [Bitt04] J. Bittner, M. Wimmer, H. Piringer, and W. Purgathofer. Coherent Hierarchical Culling: Hardware Occlusion Queries Made Useful. *Computer Graphics Forum (Proceedings of Eurographics '04)*, No. 3, 2004.
- [Bitt09] J. Bittner, O. Mattausch, P. Wonka, V. Havran, and M. Wimmer. Adaptive global visibility sampling. *ACM Transactions on Graphics*, Vol. 28, No. 3, pp. 94:1–94:??, Aug. 2009.
- [Bitt11] J. Bittner, O. Mattausch, A. Silvennoinen, and M. Wimmer. Shadow caster culling for efficient shadow mapping. In M. Garland and R. W. 0003, Eds., *I3D*, pp. 81–88, ACM, 2011.
- [Bitt98] J. Bittner, V. Havran, and P. Slavík. Hierarchical Visibility Culling with Occlusion Trees. In *Proceedings of Computer Graphics International '98 (CGI'98)*, pp. 207–219, IEEE, 1998.
- [Blai98] M. Blais and P. Poulin. Sampling Visibility in Three-Space. In *Proc. of the 1998 Western Computer Graphics Symposium*, pp. 45–52, Apr. 1998.
- [Brun01] P. Brunet, I. Navazo, C. Saona-Vázquez, and J. Rossignac. Hoops: 3D Curves as Conservative Occluders for Cell-Visibility. *Computer Graphics Forum (Proceedings of Eurographics '01)*, No. 3, 2001.

- [Carl00] I. N. Carlos Andújar, Carlos Saona-Vázquez and P. Brunet. Integrating Occlusion Culling with Levels of Detail through Hardly-Visible Sets. In *Computer Graphics Forum (Proceedings of Eurographics '00)*, pp. 499–506, 2000.
- [Caza97] F. Cazals and M. Sbert. Some integral geometry tools to estimate the complexity of 3D scenes. Tech. Rep. RR-3204, The French National Institute for Research in Computer Science and Control (INRIA), July 1997.
- [Cham96] B. Chamberlain, T. DeRose, D. Lischinski, D. Salesin, and J. Snyder. Fast rendering of complex environments using a spatial hierarchy. In *Proceedings of Graphics Interface '96*, pp. 132–141, May 1996.
- [Chan09] A. Chandak, L. Antani, M. T. Taylor, and D. Manocha. FastV: From-point Visibility Culling on Complex Models. *Comput. Graph. Forum*, Vol. 28, No. 4, pp. 1237–1246, 2009.
- [Char07a] J. P. Charalambos, J. Bittner, M. Wimmer, and E. Romero. Optimized HLOD Refinement Driven by Hardware Occlusion Queries. In *Advances in Visual Computing*, pp. I: 106–117, 2007.
- [Char07b] S. Charneau, L. Aveneau, and L. Fuchs. Exact, robust and efficient full visibility computation in the Plücker space. Sep. 01 2007.
- [Chry98a] Y. Chrysanthou, D. Cohen-Or, and D. Lischinski. Fast Approximate Quantitative Visibility for Complex Scenes. In *Proceedings of Computer Graphics International '98 (CGI'98)*, pp. 23–31, IEEE, NY, Hannover, Germany, June 1998.
- [Chry98b] Y. Chrysanthou, D. Cohen-Or, and E. Zadicario. Viewspace Partitioning of Densely Occluded Scenes. Abstract of a video presentation, at the 13th Annual ACM Symposium on Computational Geometry, Minnesota, pages 413–414, June 1998.
- [Cign07] P. Cignoni, M. D. Benedetto, F. Ganovelli, E. Gobbetti, F. Marton, and R. Scopigno. Ray-Casted BlockMaps for Large Urban Models Visualization. *Comput. Graph. Forum*, Vol. 26, No. 3, pp. 405–413, 2007.
- [Clar76] J. H. Clark. Hierarchical Geometric Models for Visible Surface Algorithms. *Communications of the ACM*, Vol. 19, No. 10, pp. 547–554, Oct. 1976.
- [Cohe03] D. Cohen-Or, Y. Chrysanthou, C. Silva, and F. Durand. A Survey of Visibility for Walkthrough Applications. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 9, No. 3, pp. 412–431, 2003.
- [Cohe95] D. Cohen-Or and A. Shaked. Visibility and Dead-Zones in Digital Terrain Maps. *Computer Graphics Forum*, Vol. 14, No. 3, pp. C/171–C/180, Sep. 1995.
- [Cohe98a] D. Cohen-Or, G. Fibich, D. Halperin, and E. Zadicario. Conservative Visibility and Strong Occlusion for Viewspace Partitioning of Densely Occluded Scenes. In *Computer Graphics Forum (Eurographics '98 Proceedings)*, pp. 243–253, 1998.
- [Cohe98b] D. Cohen-Or and E. Zadicario. Visibility Streaming for Network-based Walkthroughs. In *Proceedings of Graphics Interface '98*, pp. 1–7, June 1998.
- [Cole89] R. Cole and M. Sharir. Visibility Problems for Polyhedral Terrains. *Journal of Symbolic Computation*, Vol. 7, No. 1, pp. 11–30, Jan. 1989.
- [Coor96a] S. Coorg and S. Teller. A Spatially and Temporally Coherent Object Space Visibility Algorithm. Tech. Rep. TM-546, Department of Computer Graphics, MIT, Feb. 1996.

- [Coor96b] S. Coorg and S. Teller. Temporally Coherent Conservative Visibility. In *Proceedings of the Twelfth Annual ACM Symposium on Computational Geometry*, Philadelphia, PA, May 1996.
- [Coor97] S. Coorg and S. Teller. Real-Time Occlusion Culling for Models with Large Occluders. In *Proceedings of the Symposium on Interactive 3D Graphics*, pp. 83–90, ACM Press, Apr. 1997.
- [Dach11] C. Dachsbacher. Analyzing Visibility Configurations. *IEEE Trans. Vis. Comput. Graph*, Vol. 17, No. 4, pp. 475–486, 2011.
- [Deco03] X. Décoret, G. Debunne, and F. Sillion. Erosion Based Visibility Preprocessing. In *Proceedings of the EG Symposium on Rendering*, Eurographics, Eurographics Association, 2003.
- [Down01] L. Downs, T. Möller, and C. H. Séquin. Occlusion Horizons for Driving through Urban Scenes. In *Symposium on Interactive 3D Graphics*, pp. 121–124, ACM SIGGRAPH, 2001.
- [Dugu02] F. Duguet and G. Drettakis. Robust Epsilon Visibility. In *Computer Graphics (SIGGRAPH '02 Proceedings)*, pp. 567–575, ACM Press/ACM SIGGRAPH, 2002.
- [Dura00] F. Durand, G. Drettakis, J. Thollot, and C. Puech. Conservative Visibility Preprocessing Using Extended Projections. In *Computer Graphics (SIGGRAPH '00 Proceedings)*, pp. 239–248, 2000.
- [Dura96] F. Durand, G. Drettakis, and C. Puech. The 3D Visibility Complex: A New Approach to the Problems of Accurate Visibility. In *Proceedings of Eurographics Workshop on Rendering*, pp. 245–256, Eurographics, Springer Wein, June 1996.
- [Dura97] F. Durand, G. Drettakis, and C. Puech. The Visibility Skeleton: A Powerful and Efficient Multi-Purpose Global Visibility Tool. In *Computer Graphics (SIGGRAPH '97 Proceedings)*, pp. 89–100, 1997.
- [Dura99] F. Durand. *3D Visibility: Analytical Study and Applications*. PhD thesis, Universite Joseph Fourier, Grenoble, France, July 1999.
- [Egge93] D. W. Eggert, K. W. Bowyer, C. R. Dyer, H. I. Christensen, and D. B. Goldgof. The Scale Space Aspect Graph. *Pattern Analysis and Machine Intelligence*, Vol. 15, No. 11, pp. 1114–1130, Nov. 1993.
- [Eike10] B. Eikel, C. Jähn, and M. Fischer. Preprocessed Global Visibility for Real-Time Rendering on Low-End Hardware. In G. Bebis, R. D. Boyle, B. Parvin, D. Koracin, R. Chung, R. I. Hammoud, M. Hussain, K.-H. Tan, R. Crawfis, D. Thalmann, D. Kao, and L. Avila, Eds., *ISVC (1)*, pp. 622–633, Springer, 2010.
- [Eike13] B. Eikel, C. Jähn, M. Fischer, and F. M. auf der Heide. Spherical Visibility Sampling. *Comput. Graph. Forum*, Vol. 32, No. 4, pp. 49–58, 2013.
- [Enge09] T. Engelhardt and C. Dachsbacher. Granular visibility queries on the GPU. In E. Haines, M. McGuire, D. G. Aliaga, M. M. Oliveira, and S. N. Spencer, Eds., *SI3D*, pp. 161–167, ACM, 2009.
- [Flor94] L. D. Floriani and P. Magillo. Visibility Algorithms on Triangulated Digital Terrain Models. In *International Journal of Geographical Information Systems*, pp. 13–41, Taylor & Francis, 1994.
- [Flor95] L. D. Floriani and P. Magillo. Horizon computation on a hierarchical triangulated terrain model. *The Visual Computer*, Vol. 11, No. 3, pp. 134–149, 1995.
- [Fuch80] H. Fuchs, Z. M. Kedem, and B. F. Naylor. On Visible Surface Generation by a Priori Tree Structures. In *Computer Graphics (SIGGRAPH '80 Proceedings)*, pp. 124–133, July 1980.

- [Funk93] T. A. Funkhouser. *Database and Display Algorithms for Interactive Visualization of Architectural Models*. PhD thesis, CS Division, UC Berkeley, 1993.
- [Geor95] C. Georges. Obscuration Culling on Parallel Graphics Architectures. Tech. Rep. TR95-017, Department of Computer Science, University of North Carolina, Chapel Hill, 1995.
- [Gigu90] Z. Gigus and J. Malik. Computing the aspect graph for line drawings of polyhedral objects. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 12, No. 2, pp. 113–122, Feb. 1990.
- [Gobb05] E. Gobbetti and F. Marton. Far voxels: a multiresolution framework for interactive rendering of huge complex 3D models on commodity graphics platforms. *ACM Trans. Graph.*, Vol. 24, No. 3, pp. 878–885, 2005.
- [Gord91] D. Gordon and S. Chen. Front-to-back display of BSP trees. *IEEE Computer Graphics and Applications*, Vol. 11, No. 5, pp. 79–85, Sep. 1991.
- [Govi03] N. K. Govindaraju, A. Sud, S.-E. Yoon, and D. Manocha. Interactive visibility culling in complex environments using occlusion-switches. In *Proceedings of the 2003 Symposium on Interactive 3D graphics*, pp. 103–112, ACM Press, 2003.
- [Gree93] N. Greene, M. Kass, and G. Miller. Hierarchical Z-Buffer Visibility. In *Computer Graphics (SIGGRAPH '93 Proceedings)*, pp. 231–238, 1993.
- [Gree94] N. Greene. Detecting Intersection of a Rectangular Solid and a Convex Polyhedron. In P. Heckbert, Ed., *Graphics Gems IV*, pp. 74–82, Academic Press, Boston, MA, 1994.
- [Gree95] D. Green and D. Hatch. Fast Polygon-Cube Intersection Testing. In A. W. Paeth, Ed., *Graphics Gems V*, pp. 375–379, Academic Press, Boston MA, 1995.
- [Gree96] N. Greene. Hierarchical Polygon Tiling with Coverage Masks. In H. Rushmeier, Ed., *Computer Graphics (SIGGRAPH '96 Proceedings)*, pp. 65–74, Addison Wesley, Aug. 1996. held in New Orleans, Louisiana, 04-09 August 1996.
- [Grot10] S. Grottel, G. Reina, C. Dachsbacher, and T. Ertl. Coherent Culling and Shading for Large Molecular Dynamics Visualization. *Comput. Graph. Forum*, Vol. 29, No. 3, pp. 953–962, 2010.
- [Guth06] M. Guthe, kos Balázs, and R. Klein. Near Optimal Hierarchical Culling: Performance Driven Use of Hardware Occlusion Queries. In T. Akenine-Möller and W. Heidrich, Eds., *Eurographics Workshop/ Symposium on Rendering*, pp. 207–214, Eurographics Association, Nicosia, Cyprus, 2006.
- [Hain94] E. A. Haines and J. R. Wallace. Shaft Culling for Efficient Ray-Traced Radiosity. In *Photorealistic Rendering in Computer Graphics (Proceedings of Eurographics Workshop on Rendering '94)*, Springer-Verlag, 1994.
- [Haum03] D. Haumont, O. Debeir, and F. Sillion. Volumetric Cell-and-Portal Generation. *Computer Graphics Forum (Proceedings of Eurographics '03)*, No. 3, 2003.
- [Hey01] H. Hey, R. F. Tobler, and W. Purgathofer. Real-Time Occlusion Culling with a Lazy Occlusion Grid. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '00)*, pp. 217–222, 2001.
- [Hink96] A. Hinkenjann and H. Müller. Hierarchical Blocker Trees for Global Visibility Calculation. Research Report 621/1996, University of Dortmund, Aug. 1996.

- [Hink98] A. Hinkenjann and H. Muller. Determining Visibility between Extended Objects. In *Proceedings of Computer Graphics International '98 (CGI'98)*, pp. 23–31, IEEE, NY, Hannover, Germany, June 1998.
- [Ho12] T.-C. Ho, Y.-I. Chiu, J.-H. Chuang, and W.-C. Lin. Aggressive region-based visibility computation using importance sampling. In D. Thalmann, E. Wu, Z. Pan, A. E. Rhalibi, N. Magnenat-Thalmann, and M. Adcock, Eds., *VRCAI*, pp. 119–126, ACM, 2012.
- [Hua02] W. Hua, H. Bao, Q. Peng, and A. R. Forrest. The global occlusion map: a new occlusion culling approach. In *Proceedings of the ACM Symposium on Virtual Reality Software and Technology*, pp. 155–162, ACM Press, 2002.
- [Huds97] T. Hudson, D. Manocha, J. Cohen, M. Lin, K. Hoff, and H. Zhang. Accelerated Occlusion Culling Using Shadow Frusta. In *Proceedings of ACM Symposium on Computational Geometry*, pp. 1–10, 1997.
- [Ione98] A. Iones, S. Zhukov, and A. Krupkin. On Optimality of OBBs for Visibility Tests for Frustum Culling, Ray Shooting and Collision Detection. In *Proceedings of Computer Graphics International '98 (CGI'98)*, pp. 256–263, IEEE, NY, Hannover, Germany, June 1998.
- [Klos00] J. T. Klosowski and C. T. Silva. The Prioritized-Layered Projection Algorithm for Visible Set Estimation. In H. Hagen and D. S. Ebert, Eds., *IEEE Transactions on Visualization and Computer Graphics*, pp. 108–123, IEEE Computer Society, 2000.
- [Klos01] J. T. Klosowski and C. T. Silva. Efficient Conservative Visibility Culling Using the Prioritized-Layered Projection Algorithm. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 7, No. 4, pp. 365–379, Oct. 2001.
- [Kolt00] V. Koltun, Y. Chrysanthou, and D. Cohen-Or. Virtual Occluders: An Efficient Intermediate PVS Representation. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '00)*, pp. 59–70, 2000.
- [Kolt01] V. Koltun, Y. Chrysanthou, and D. Cohen-Or. Hardware-Accelerated From-Region Visibility Using a Dual Ray Space. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '01)*, pp. 205–216, 2001.
- [Kuma96a] S. Kumar and D. Manocha. Hierarchical Visibility Culling for Spline Models. In *Proceedings of Graphics Interface '96*, pp. 142–150, Canadian Human-Computer Communications Society, May 1996.
- [Kuma96b] S. Kumar, D. Manocha, W. Garrett, and M. Lin. Hierarchical Back-Face Computation. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '96)*, pp. 235–244, Springer Wein, June 1996.
- [Kuma97] S. Kumar, D. Manocha, H. Zhang, and K. E. H. III. Accelerated Walkthrough of Large Spline Models. In *Symposium on Interactive 3D Graphics, 1997*, pp. 91–102, 190, 1997.
- [Lain05] S. Laine. A General Algorithm for Output-Sensitive Visibility Preprocessing. In *Proceedings of the 2005 Symposium on Interactive 3D graphics*, ACM Press, 2005.
- [Lern03] A. Lerner, Y. Chrysanthou, and D. Cohen-Or. Breaking the Walls: Scene Partitioning and Portal Creation. In *Proceedings of Pacific Graphics (PG'03)*, p. 303, IEEE Computer Society, 2003.
- [Leyv03] T. Leyvand, O. Sorkine, and D. Cohen-Or. Ray Space Factorization for From-Region Visibility. *ACM Transactions on Graphics (Proceedings of SIGGRAPH 2003)*, 2003.

- [Lisc92] D. Lischinski, F. Tampieri, and D. P. Greenberg. Discontinuity meshing for accurate radiosity. *IEEE Computer Graphics and Applications*, Vol. 12, No. 6, pp. 25–39, Nov. 1992.
- [Lloy02] B. Lloyd and P. Egbert, K. Horizon Occlusion Culling for Real-time Rendering of Hierarchical Terrains. In *Proceedings of the conference on Visualization '02*, pp. 403–409, 2002.
- [Lowe05] N. Lowe and A. Datta. A New Technique for Rendering Complex Portals. *IEEE Transaction on Visualization and Computer Graphics*, pp. 81–90, 2005.
- [Lueb95] D. Luebke and C. Georges. Portals and Mirrors: Simple, Fast Evaluation of Potentially Visible Sets. In *Proceedings of Symposium on Interactive 3D Graphics '95*, pp. 105–106, ACM SIGGRAPH, Apr. 1995.
- [Matt06] O. Mattausch, J. Bittner, and M. Wimmer. Adaptive Visibility-Driven View Cell Construction. In T. Akenine-Möller and W. Heidrich, Eds., *Rendering Techniques*, pp. 195–205, Eurographics Association, 2006.
- [Matt07] O. Mattausch, J. Bittner, P. Wonka, and M. Wimmer. Optimized subdivisions for preprocessed visibility. In C. G. Healey and E. Lank, Eds., *Graphics Interface*, pp. 335–342, ACM Press, 2007.
- [Matt08] O. Mattausch, J. Bittner, and M. Wimmer. CHC++: Coherent Hierarchical Culling Revisited. *Comput. Graph. Forum*, Vol. 27, No. 2, pp. 221–230, 2008.
- [McMi97] L. McMillan. An Image-Based Approach to Three-Dimensional Computer Graphics. Ph.D. Thesis TR97-013, University of North Carolina, Chapel Hill, May 1997.
- [Moll02] T. Möller and E. Haines. *Real-Time Rendering, 2nd edition*. A. K. Peters, 2002.
- [Mora05] F. Mora, L. Aveneau, and M. Mériaux. Coherent and Exact Polygon-to-Polygon Visibility. In *Proceedings of Winter School on Computer Graphics 2005*, pp. 87–94, 2005.
- [Nava03] I. Navazo, J. Rossignac, J. Jou, and R. Shariff. ShieldTester: Cell-to-Cell Visibility Test for Surface Occluders. *Computer Graphics Forum (Proceedings of Eurographics '03)*, Vol. 22, No. 3, pp. 291–302, 2003.
- [Nayl92] B. F. Naylor. Partitioning tree image representation and generation from 3D geometric models. In *Proceedings of Graphics Interface '92*, pp. 201–212, May 1992.
- [Nies12] M. Nießner and C. Loop. Patch-based occlusion culling for hardware tessellation. In *In proceedings of Computer Graphics International*, 2012.
- [Nire02] S. Nirenstein, E. Blake, and J. Gain. Exact From-Region Visibility Culling. In *Proceedings of Eurographics Workshop on Rendering '02*, pp. 199–210, 2002.
- [Nire04] S. Nirenstein and E. Blake. Hardware Accelerated Aggressive Visibility Preprocessing using Adaptive Sampling. In *Rendering Techniques 2004: Proceedings of the 15th symposium on Rendering*, pp. 207–216, Eurographics Association, 2004.
- [Orti96] R. Orti, S. Riviere, F. Durand, and C. Puech. Using the Visibility Complex for Radiosity Computation. In *Lecture Notes in Computer Science (Applied Computational Geometry: Towards Geometric Engineering)*, pp. 177–190, Springer-Verlag, Berlin, Germany, May 1996.
- [Petr13] R. Petring, B. Eikel, C. Jähn, M. Fischer, and F. M. auf der Heide. Real-Time 3D Rendering of Heterogeneous Scenes. In G. Bebis, R. Boyle, B. Parvin, D. Koracin, B. Li, F. Porikli, V. B. Zordan, J. T. Klosowski, S. Coquillart, X. Luo, M. Chen, and D. Gotz, Eds., *ISVC (1)*, pp. 448–458, Springer, 2013.

- [Pina10] J. L. Pina, F. J. Serón, and E. Cerezo. BqR-Tree: A Data Structure for Flights and Walkthroughs in Urban Scenes with Mobile Elements. *Comput. Graph. Forum*, Vol. 29, No. 6, pp. 1745–1755, 2010.
- [Plan86] W. H. Plantinga and C. R. Dyer. An Algorithm for Constructing the Aspect Graph. In *27th Annual Symposium on Foundations of Computer Science*, pp. 123–131, IEEE Computer Society Press, Los Angeles, Ca., USA, Oct. 1986.
- [Plan90] H. Plantinga and C. Dyer. Visibility, Occlusion, and the Aspect Graph. *International Journal of Computer Vision*, Vol. 5, No. 2, pp. 137–160, 1990.
- [Plan93] H. Plantinga. Conservative visibility preprocessing for efficient walkthroughs of 3D scenes. In *Proceedings of Graphics Interface '93*, pp. 166–173, Toronto, Ontario, Canada, May 1993.
- [Pocc93] M. Pocchiola and G. Vegter. The visibility complex. In *Proceedings of ACM Symposium on Computational Geometry*, pp. 328–337, 1993.
- [Pu98] F.-T. Pu. *Data Structures for Global Illumination and Visibility Queries in 3-Space*. PhD thesis, University of Maryland, College Park, MD, 1998.
- [Rivi97] S. Rivière. Walking in the Visibility Complex with Applications to Visibility Polygons and Dynamic Visibility. In *Proceedings of 9th Canadian Conference on Computational Geometry*, pp. 147–152, 1997.
- [Rohl94] J. Rohlf and J. Helman. IRIS Performer: A High Performance Multiprocessing Toolkit for Real-Time 3D Graphics. In *Computer Graphics (SIGGRAPH '94 Proceedings)*, pp. 381–395, July 1994.
- [Saja09] B. Sajadi, Y. Huang, P. Diaz-Gutierrez, S.-E. Yoon, and M. Gopi. A novel page-based data structure for interactive walkthroughs. In E. Haines, M. McGuire, D. G. Aliaga, M. M. Oliveira, and S. N. Spencer, Eds., *SI3D*, pp. 23–29, ACM, 2009.
- [Saon99] C. Saona-Vázquez, I. Navazo, and P. Brunet. The visibility octree: a data structure for 3D navigation. *Computers and Graphics*, Vol. 23, No. 5, pp. 635–643, Oct. 1999.
- [Scha00] G. Schaufler, J. Dorsey, X. Decoret, and F. X. Sillion. Conservative Volumetric Visibility with Occluder Fusion. In *Computer Graphics (SIGGRAPH '00 Proceedings)*, pp. 229–238, 2000.
- [Schu69] R. A. Schumacker, R. Brand, M. Gilliland, and W. Sharp. Study for Applying Computer-Generated Images to Visual Simulation. Tech. Rep. AFHRL–TR–69–14, U.S. Air Force Human Resources Laboratory, 1969.
- [Shar92] M. Sharir and M. H. Overmars. A Simple Output-Sensitive Algorithm for Hidden Surface Removal. *ACM Transactions on Graphics*, Vol. 11, No. 1, pp. 1–11, Jan. 1992.
- [Slat97] M. Slater and Y. Chrysanthou. View Volume Culling Using a Probabilistic Caching Scheme. In *Proceedings of ACM Symposium on Virtual Reality Software and Technology (VRST '97)*, pp. 71–78, Lausanne, Switzerland, Sep. 1997.
- [Sole96] C. Soler and F. Sillion. Accurate Error Bounds for Multi-Resolution Visibility. In *rendering Techniques (Proceedings of Eurographics Workshop on Rendering '96)*, pp. 133–142, Springer Wein, June 1996.
- [Stan04] D. Staneker, D. Bartz, and W. Straßer. Occlusion Culling in OpenSG PLUS. *Computer & Graphics*, No. TR-186-2-03-03, pp. 87–92, 2004.

- [Stew93] A. J. Stewart and S. Ghali. An Output Sensitive Algorithm for the Computation of Shadow Boundaries. In *Proceedings of Canadian Conference on Computational Geometry*, pp. 291–296, Aug. 1993.
- [Stew94] A. J. Stewart and S. Ghali. Fast Computation of Shadow Boundaries Using Spatial Coherence and Backprojections. In *Computer Graphics (SIGGRAPH '94 Proceedings)*, pp. 231–238, 1994.
- [Stew97] A. J. Stewart. Hierarchical Visibility in Terrains. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '97)*, pp. 217–228, 1997.
- [Stew98] A. J. Stewart. Fast Horizon Computation at All Points of a Terrain With Visibility and Shading Applications. *IEEE Transactions on Visualization and Computer Graphics*, Vol. 4, No. 1, pp. 82–93, Jan. 1998.
- [Suda96] O. Sudarsky and C. Gotsman. Output-Sensitive Visibility Algorithms for Dynamic Scenes with Applications to Virtual Reality. *Computer Graphics Forum*, Vol. 15, No. 3, pp. C249–C258, Sep. 1996.
- [Suss11] T. Süß, C. Koch, C. Jähn, and M. Fischer. Approximative occlusion culling using the hull tree. In S. Brooks and P. Irani, Eds., *Graphics Interface*, pp. 79–86, Canadian Human-Computer Communications Society, 2011.
- [Tell91] S. J. Teller and C. H. Séquin. Visibility preprocessing for interactive walkthroughs. In *Computer Graphics (SIGGRAPH '91 Proceedings)*, pp. 61–69, 1991.
- [Tell92a] S. J. Teller. Computing the antipenumbra of an area light source. *Computer Graphics (SIGGRAPH '92 Proceedings)*, Vol. 26, No. 2, pp. 139–148, July 1992.
- [Tell92b] S. J. Teller. *Visibility Computations in Densely Occluded Polyhedral Environments*. PhD thesis, CS Division, UC Berkeley, Oct. 1992. Tech. Report UCB/CSD-92-708.
- [Tell93] S. Teller and P. Hanrahan. Global Visibility Algorithms for Illumination Computations. In *Computer Graphics (SIGGRAPH '93 Proceedings)*, pp. 239–246, 1993.
- [Tell94] S. Teller, C. Fowler, T. Funkhouser, and P. Hanrahan. Partitioning and Ordering Large Radiosity Computations. In *Computer Graphics (SIGGRAPH '94 Proceedings)*, pp. 443–450, July 1994.
- [Tell98] S. Teller and J. Alex. Frustum casting for progressive, interactive rendering. Tech. Rep. MIT LCS TR-740, MIT, January 1998.
- [Tell99] S. Teller and M. Hohmeyer. Determining the Lines Through Four Lines. *Journal of Graphics Tools: JGT*, Vol. 4, No. 3, pp. 11–22, 1999.
- [Tian10] F. Tian, W. Hua, Z. Dong, and H. Bao. Adaptive voxels: interactive rendering of massive 3D models. *The Visual Computer*, Vol. 26, No. 6-8, pp. 409–419, 2010.
- [Vegt90] G. Vegter. The Visibility Diagram: a Data Structure for Visibility Problems and Motion Planning. In *In Proceedings of the 2nd Scandinavian Workshop on Algorithm Theory (SWAT '90)*, pp. 97–110, Springer, 1990.
- [Wand01] M. Wand, M. Fischer, I. Peter, F. M. auf der Heide, and W. Straßer. The Randomized z-Buffer Algorithm: Interactive Rendering of Highly Complex Scenes. In *Computer Graphics (SIGGRAPH '01 Proceedings)*, pp. 361–370, 2001.

- [Wang98] Y. Wang, H. Bao, and Q. Peng. Accelerated Walkthroughs of Virtual Environments Based on Visibility Preprocessing and Simplification. In *Computer Graphics Forum (Proceedings of Eurographics '98)*, pp. 187–194, 1998.
- [Welz85] E. Welzl. Constructing the Visibility Graph for n -Line Segments in $O(n^2)$ Time. *Information Processing Letters*, Vol. 20, No. 4, pp. 167–171, May 1985.
- [Wonk00] P. Wonka, M. Wimmer, and D. Schmalstieg. Visibility Preprocessing with Occluder Fusion for Urban Walkthroughs. In *Rendering Techniques (Proceedings of Eurographics Workshop on Rendering '00)*, pp. 71–82, 2000.
- [Wonk01] P. Wonka, M. Wimmer, and F. X. Sillion. Instant Visibility. In *Computer Graphics Forum (Proceedings of Eurographics '01)*, pp. 411–421, Blackwell Publishing, 2001.
- [Wonk06] P. Wonka, M. Wimmer, K. Zhou, S. Maierhofer, G. Hesina, and A. Reshetov. Guided visibility sampling. *ACM Transactions on Graphics*, Vol. 25, No. 3, pp. 494–502, July 2006.
- [Wonk99] P. Wonka and D. Schmalstieg. Occluder Shadows for Fast Walkthroughs of Urban Environments. *Computer Graphics Forum (Proceedings of Eurographics '99)*, Vol. 18, No. 3, pp. 51–60, Sep. 1999.
- [Yage95] R. Yagel and W. Ray. Visibility Computation for Efficient Walkthrough of Complex Environments. *Presence: Teleoperators and Virtual Environments*, Vol. 5, No. 1, 1995.
- [Zhan97a] H. Zhang and K. E. Hoff III. Fast Backface Culling Using Normal Masks. In *Proceedings of 1997 Symposium on Interactive 3D Graphics*, pp. 103–106, ACM SIGGRAPH, Apr. 1997.
- [Zhan97b] H. Zhang, D. Manocha, T. Hudson, and K. E. Hoff III. Visibility Culling Using Hierarchical Occlusion Maps. In *Computer Graphics (Proceedings of SIGGRAPH '97)*, pp. 77–88, 1997.

Photon Mapping, Irradiance Caching, and Ray Maps

- [Arya98] S. Arya, D. M. Mount, N. S. Netanyahu, R. Silverman, and A. Y. Wu. An Optimal Algorithm for Approximate Nearest Neighbor Searching Fixed Dimensions. *Journal of the ACM*, Vol. 45, No. 6, pp. 891–923, 1998.
- [Bent79] J. L. Bentley. Multidimensional Binary Search Trees in Database Applications. In *IEEE Trans. on Soft. Eng.*, pp. 333–340, 1979.
- [Camm02] M. Cammarano and H. W. Jensen. Time Dependent Photon Mapping. In *Rendering Techniques 2002*, pp. 135–144, June 2002.
- [Chen11] J. Chen, B. Wang, and J.-H. Yong. Improved Stochastic Progressive Photon Mapping with Metropolis Sampling. In *Proceedings of the Twenty-second Eurographics Conference on Rendering*, pp. 1205–1213, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2011.
- [Chri02] P. H. Christensen. Photon Mapping Tricks. *SIGGRAPH Course Notes*, Vol. 43, pp. 93–121, 2002.
- [Chri04] P. H. Christensen and D. Batali. An Irradiance Atlas for Global Illumination in Complex Production Scenes. In *Rendering Techniques 2004*, pp. 133–141, Proceedings of Eurographics Symposium on Rendering, 2004.
- [Chri99] P. H. Christensen. Faster Photon Map Global Illumination. In *Journal of Graphics Tools*, pp. 1–10, 1999.
- [Coll12] C. Collin, M. Ribardière, R. Cozot, and K. Bouatouch. Progressive Volume Photon Tracing. In *ACM SIGGRAPH 2012 Talks*, pp. 30:1–30:1, ACM, New York, NY, USA, 2012.
- [Coll13] C. Collin, M. Ribardière, A. Gruson, R. Cozot, S. Pattanaik, and K. Bouatouch. Visibility-driven Progressive Volume Photon Tracing. *Vis. Comput.*, Vol. 29, No. 9, pp. 849–859, Sep. 2013.
- [Dick00] M. Dickeerson, C. Duncan, and M. Goodrich. Kd-trees are better when cut at the longest side. In *Proceedings of the 8th Annual European Symposium on Algorithms*, pp. 179–190, 2000.
- [Dret97] G. Drettakis and F. X. Sillion. Interactive Update of Global Illumination using a Line-Space Hierarchy. In *Computer Graphics*, pp. 57–64, ACM SIGGRAPH Proceedings, 1997.
- [Gaut04] P. Gautron, J. Křivánek, S. Pattanaik, and K. Bouatouch. A Novel Hemispherical Basis for Accurate and Efficient Rendering. In *Rendering Techniques 2004*, Eurographics Symposium on Rendering, 2004.
- [Gaut05] P. Gautron, J. Křivánek, K. Bouatouch, and S. Pattanaik. Radiance Cache Splatting: A GPU-Friendly Global Illumination Algorithm. In *Rendering Techniques 2005*, pp. 55–64, Eurographics Symposium on Rendering, 2005.
- [Geor11] I. Georgiev, J. Křivánek, and P. Slusallek. Bidirectional Light Transport with Vertex Merging. In *SIGGRAPH Asia 2011 Sketches*, pp. 27:1–27:2, ACM, New York, NY, USA, 2011.
- [Geor12] I. Georgiev, J. Křivánek, T. Davidovič, and P. Slusallek. Light Transport Simulation with Vertex Connection and Merging. *ACM Trans. Graph.*, Vol. 31, No. 6, pp. 192:1–192:10, Nov. 2012.
- [Greg98] G. Greger, P. Shirley, P. M. Hubbard, and D. P. Greenberg. The Irradiance Volume. *IEEE Comput. Graph. and Appl.*, Vol. 18, No. 2, pp. 32–43, 1998.

- [Hach08] T. Hachisuka, S. Ogaki, and H. W. Jensen. Progressive Photon Mapping. *ACM Trans. Graph.*, Vol. 27, No. 5, pp. 130:1–130:8, Dec. 2008.
- [Hach09] T. Hachisuka and H. W. Jensen. Stochastic Progressive Photon Mapping. In *ACM SIGGRAPH Asia 2009 Papers*, pp. 141:1–141:8, ACM, New York, NY, USA, 2009.
- [Hach10a] T. Hachisuka, W. Jarosz, and H. W. Jensen. An Error Estimation Framework for Photon Density Estimation. In *ACM SIGGRAPH 2010 Talks*, pp. 3:1–3:1, ACM, New York, NY, USA, 2010.
- [Hach10b] T. Hachisuka, W. Jarosz, and H. W. Jensen. A Progressive Error Estimation Framework for Photon Density Estimation. *ACM Trans. Graph.*, Vol. 29, No. 6, pp. 144:1–144:12, Dec. 2010.
- [Hach11] T. Hachisuka and H. W. Jensen. Robust Adaptive Photon Tracing Using Photon Path Visibility. *ACM Trans. Graph.*, Vol. 30, No. 5, pp. 114:1–114:11, Oct. 2011.
- [Hach12] T. Hachisuka, J. Pantaleoni, and H. W. Jensen. A Path Space Extension for Robust Light Transport Simulation. *ACM Trans. Graph.*, Vol. 31, No. 6, pp. 191:1–191:10, Nov. 2012.
- [Hach13] T. Hachisuka, W. Jarosz, I. Georgiev, A. Kaplanyan, D. Nowrouzezahrai, and B. Spencer. State of the Art in Photon Density Estimation. In *SIGGRAPH Asia 2013 Courses*, pp. 15:1–15:562, ACM, New York, NY, USA, 2013.
- [Haev04] W. V. Haevre, F. D. Fiore, P. Bekaert, and F. V. Reeth. A ray density estimation approach to take into account environment illumination in plant growth simulation. In *SCCG '04: Proceedings of the 20th spring conference on Computer graphics*, pp. 121–131, ACM Press, New York, NY, USA, 2004.
- [Hans02] D. Hansson and N. Harrysson. *Fast Photon Mapping using Grids*. Master's thesis, 2002.
- [Havr05a] V. Havran, J. Bittner, R. Herzog, and H.-P. Seidel. Ray Maps for Global Illumination. In *Rendering Techniques 2005*, pp. 43–54, Eurographics Symposium on Rendering, 2005.
- [Havr05b] V. Havran, R. Herzog, and H.-P. Seidel. Fast Final Gathering via Reverse Photon Mapping. In *Computer Graphics Forum*, pp. 323–333, Proceedings of Eurographics, 2005.
- [Herz05] R. Herzog. *Advanced Density Estimation Techniques for Global Illumination*. Master's thesis, Max-Planck-Institute for Informatics, Saarbruecken, Germany, Oct. 2005.
- [Herz07a] R. Herzog, V. Havran, S. Kinuwaki, K. Myszkowski, and H.-P. Seidel. Global Illumination using Photon Ray Splatting. In D. Cohen-Or and P. Slavik, Eds., *The European Association for Computer Graphics 28th Annual Conference: EUROGRAPHICS 2007*, pp. 503–513, The European Association for Computer Graphics, Blackwell, Prague, Czech Republic, 2007.
- [Herz07b] R. Herzog, V. Havran, S. Kinuwaki, K. Myszkowski, and H.-P. Seidel. Global Illumination using Photon Ray Splatting. Research Report MPI-I-2007-4-007, MPI Informatik, Saarbruecken, Germany, May 2007.
- [Hey01] H. Hey and W. Purgathofer. Global Illumination with Photon Mapping Compensation. Tech. Rep. TR-186-2-01-04, Vienna University of Technology, January 2001.
- [Jako11] W. Jakob, C. Regg, and W. Jarosz. Progressive Expectation-maximization for Hierarchical Volumetric Photon Mapping. In *Proceedings of the Twenty-second Eurographics Conference on Rendering*, pp. 1287–1297, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2011.
- [Jens01] H. W. Jensen. *Realistic Image Synthesis Using Photon Mapping*. A. K. Peters, Natick, 2001.

- [Jens95] H. W. Jensen and N. J. Christensen. Photon Maps in Bidirectional Monte Carlo Ray Tracing of Complex Objects. In *Computers & Graphics*, pp. 215–224, 1995.
- [Jens96] H. W. Jensen. Global Illumination using Photon Maps. In *Rendering Techniques '96*, pp. 21–30, Proceedings of the Seventh Eurographics Workshop on Rendering, 1996.
- [Kap113] A. S. Kaplanyan and C. Dachsbacher. Adaptive Progressive Photon Mapping. *ACM Trans. Graph.*, Vol. 32, No. 2, pp. 16:1–16:13, Apr. 2013.
- [Knau11] C. Knaus and M. Zwicker. Progressive Photon Mapping: A Probabilistic Approach. *ACM Trans. Graph.*, Vol. 30, No. 3, pp. 25:1–25:13, May 2011.
- [Kvri05] J. Křivánek. *Radiance Caching for Global Illumination Computation on Glossy Surfaces*. PhD thesis, Université de Rennes 1 and Czech Technical University in Prague, December 2005.
- [Lars03] B. D. Larsen and N. J. Christensen. Optimizing Photon Mapping using Multiple Photon Maps for Irradiance Estimates. In *WSCG Poster Proceedings, Plzen, Czech Republic*, pp. 77–80, 2003.
- [Last02] M. Lastra, C. Urena, J. Revelles, and R. Montes. A Particle-Path Based Method for Monte Carlo Density Estimation. In *In Poster Proceeding of the 13th Eurographics Workshop on Rendering*, pp. 33–40, June 2002.
- [Lavi01] F. Lavignotte and M. Paulin. A New Approach of Density Estimation for Global Illumination. In *Proceedings of Graphicon*, University of Nizhny Novgorod, Nizhny Novgorod, Russia, 2001.
- [Lavi02] F. Lavignotte and M. Paulin. A New Approach of Density Estimation for Global Illumination. In *Proceedings of WSCG 2002*, pp. 263–270, 2002.
- [Lavi03] F. Lavignotte and M. Paulin. Scalable Photon Splatting for Global Illumination. In *Graphite 2003 (International Conference on Computer Graphics and Interactive Techniques in Australasia and South East Asia)*, Melbourne, Australia., pp. 1–11, ACM SIGGRAPH, 2003.
- [Mane99] S. Maneewongvatana and D. Mount. It's okay to be skinny, if your friends are fat. In *Proceedings of the 4th Annual CGC Workshop on Computational Geometry*, 1999.
- [Nova12] J. Novák, D. Nowrouzezahrai, C. Dachsbacher, and W. Jarosz. Virtual Ray Lights for Rendering Scenes with Participating Media. *ACM Trans. Graph.*, Vol. 31, No. 4, pp. 60:1–60:11, July 2012.
- [Shir95] P. Shirley, B. Wade, P. M. Hubbard, D. Zareski, B. Walter, and D. P. Greenberg. Global Illumination via Density Estimation. In *Rendering Techniques '95*, pp. 219–230, 1995.
- [Smyk05] M. Smyk, S. Kinuwaki, R. Durikovic, and K. Myszkowski. Temporally Coherent Irradiance Caching for High Quality Animation Rendering. In *Proceedings of Eurographics*, pp. 401–412, 2005.
- [Tabe04] E. Tabellion and A. Lamorlette. An Approximate Global Illumination System for Computer Generated Films. In *ACM Trans. Graph.*, pp. 469–476, 2004.
- [Tal00] D. A. Talbert and D. Fisher. An Empirical Analysis of Techniques for Constructing and Searching k-Dimensional Trees. In *Proceedings of the sixth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pp. 26–33, 2000.
- [Tawa04] T. Tawara, K. Myszkowski, K. Dmitriev, V. Havran, C. Domez, and H.-P. Seidel. Exploiting Temporal Coherence in Global Illumination. In *SCCG '04: Proceedings of the 20th Spring Conference on Computer Graphics*, pp. 23–33, 2004.

- [Wald04] I. Wald, J. Gnter, and P. Slusallek. Balancing Considered Harmful - Faster Photon Mapping Using the Voxel Heuristic. In *Computer Graphics Forum*, Proceedings of Eurographics, 2004.
- [Walt98] B. J. Walter. *Density Estimation Techniques for Global Illumination*. PhD thesis, Program of Computer Graphics, Cornell University, Ithaca, NY, August 1998.
- [Ward88] G. J. Ward, F. M. Rubinstein, and R. D. Clear. A Ray Tracing Solution for Diffuse Interreflection. In *Computer Graphics (ACM SIGGRAPH '88 Proceedings)*, pp. 85–92, August 1988.
- [Ward92] G. J. Ward and P. Heckbert. Irradiance Gradients. In *Third Eurographics Workshop on Rendering*, pp. 85–98, Bristol, UK, May 1992.

Other Publications on Rendering with Sorting and/or Searching

- [Camm02] M. Cammarano and H. W. Jensen. Time dependent photon mapping. In *EGRW '02: Proceedings of the 13th Eurographics workshop on Rendering*, pp. 135–144, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2002.
- [Clar05] P. Clarberg, W. Jarosz, T. Akenine-Möller, and H. W. Jensen. Wavelet Importance Sampling: Efficiently Evaluating Products of Complex Functions. *ACM Transactions on Graphics (Proceedings of SIGGRAPH)*, Vol. 24, No. 3, pp. 1166–1175, 2005.
- [Clar08] P. Clarberg and T. Akenine-Möller. Practical Product Importance Sampling for Direct Illumination. *Computer Graphics Forum (Proceedings of Eurographics 2008)*, Vol. 27, No. 2, pp. 681–690, 2008.
- [Glas88] A. S. Glassner. Spacetime ray tracing for animation. *IEEE Computer Graphics and Applications*, Vol. 8, No. 2, pp. 60–70, March 1988.
- [Havr03a] V. Havran, J. Bittner, and H.-P. Seidel. Exploiting Temporal Coherence in Ray Casted Walkthroughs. In K. I. Joy, Ed., *Proceedings of the 19th Spring Conference on Computer Graphics 2003 (SCCG 03)*, pp. 164–172, ACM, Budmerice, Slovakia, April 2003.
- [Havr03b] V. Havran, C. Damez, K. Myszkowski, and H.-P. Seidel. An Efficient Spatio-Temporal Architecture for Animation Rendering. In P. Christensen and D. Cohen-Or, Eds., *Rendering Techniques 2003 : 14th Eurographics Workshop on Rendering*, pp. 106–117, Association of Computing Machinery (ACM), ACM, Leuven, Belgium, June 2003.
- [Havr03c] V. Havran, K. Dmitriev, and H.-P. Seidel. Goniometric Diagram Mapping for Hemisphere. Short Presentations (Eurographics 2003), 2003.
- [Havr05] V. Havran, M. Smyk, G. Krawczyk, K. Myszkowski, and H.-P. Seidel. Importance Sampling for Video Environment Maps. In *ACM SIGGRAPH 2005 Full Conference DVD-ROM*, ACM SIGGRAPH, ACM, Los Angeles, USA, August 2005. Sketches & Applications.
- [Lain05] S. Laine and T. Aila. Hierarchical Penumbra Casting. *Computer Graphics Forum*, Vol. 24, No. 3, pp. 313–322, 2005.
- [Laz04] I. Laznyi and L. Szirmay-Kalos. Speeding up the Virtual Light Sources Algorithm. In *SCCG '04: Proceedings of the 20th spring conference on Computer graphics*, pp. 112–120, ACM Press, New York, NY, USA, 2004.
- [Paqu98] E. Paquette, P. Poulin, and G. Drettakis. A Light Hierarchy for Fast Rendering of Scenes with Many Lights. In N. Göbel and F. N. F. (guest editor), Eds., *Computer Graphics Forum (Eurographics '98 Conference Proceedings)*, pp. 63–74, Eurographics, Sep 1998. held in Li.
- [Rous08] F. Rousselle, P. Clarberg, L. Leblanc, V. Ostromoukhov, and P. Poulin. Efficient Product Sampling using Hierarchical Thresholding. Vol. 24, No. 7, pp. 465–474, July 2008.
- [Ste05] J. Steinhurst, G. Coombe, and A. Lastra. Reordering for cache conscious photon mapping. In *GI '05: Proceedings of the 2005 conference on Graphics interface*, pp. 97–104, Canadian Human-Computer Communications Society, School of Computer Science, University of Waterloo, Waterloo, Ontario, Canada, 2005.
- [Szir05] L. Szirmay-Kalos, B. Aszdi, I. Laznyi, and M. Premecz. Approximate Ray-Tracing on the GPU with Distance Impostors. *Computer Graphics Forum (Proceedings of Eurographics 2005)*, Vol. 24, No. 3, pp. 685–704, August 2005.
- [Walt05] B. Walter, S. Fernandez, A. Arbree, K. Bala, M. Donikian, and D. P. Greenberg. Lightcuts: a scalable approach to illumination. *ACM Trans. Graph.*, Vol. 24, No. 3, pp. 1098–1107, 2005.

- [Walt06] B. Walter, A. Arbre, K. Bala, and D. P. Greenberg. Multidimensional Lightcuts. *ACM Trans. Graph.*, Vol. 25, No. 3, 2006. to appear.
- [Wan05] L. Wan, T.-T. Wong, and C.-S. Leung. Spherical Q2-tree for Sampling Dynamic Environment Sequences. In *Proceedings of the Sixteenth Eurographics Conference on Rendering Techniques*, pp. 21–30, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2005.
- [Ward91] G. Ward. Adaptive shadow testing for ray tracing. In *Eurographics Workshop on Rendering*, pp. 11–20, May 1991.
- [Webe04] M. Weber, M. Milch, K. Myszkowski, K. Dmitriev, P. Rokita, and H.-P. Seidel. Spatio-Temporal Photon Density Estimation Using Bilateral Filtering. In D. Cohen-Or, L. Jain, and N. Magnat-Thalmann, Eds., *Computer Graphics International (CGI 2004)*, pp. 120–127, IEEE, Crete, Greece, 2004.